



**Figure 3.** Schematic plan view map of the Red Chris porphyry corridor spanning East Zone, Main Zone and Gully Zone showing drill hole locations (Newcrest & Imperial) and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases). 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model. Gold equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ( $[\text{gold grade (g/t)}] + [\text{copper grade (\%)} \times 1.79]$ ), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.




**Figure 10.** Schematic plan view map of the East Zone showing drill hole locations (Newcrest & Imperial) and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases). 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ([gold grade (g/t)] + [copper grade (%) x 1.79]), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.







**Figure 11.** Schematic plan view map of the Main Zone showing drill hole locations (Newcrest & Imperial) and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases). 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ([gold grade (g/t)] + [copper grade (%) x 1.79]), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.




**Figure 12.** Schematic plan view map of the Gully Zone showing Newcrest and Imperial drill hole locations and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this release, and in prior Newcrest exploration releases). 1g/t Au and 2g/t Au shell projections generated from a Leapfrog Model shown in 3D. 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold Equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ([gold grade (g/t)] + [copper grade (%) x 1.79]), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.




**Figure 13.** Schematic cross section of RC641 showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5 g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.



**Figure 14.** Schematic cross section of RC642, RC650 and RC662 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




**Figure 15.** Schematic cross section of RC648 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




**Figure 16.** Schematic cross section of RC659 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.







**Figure 17.** Schematic cross section of RC668 and RC659 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.



**Figure 18.** Schematic cross section of RC672 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




**Figure 19.** Schematic cross section of RC666 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




**Figure 20.** Schematic cross section of RC673 and RC675 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.





**Figure 25.** Schematic cross section of RC658 and RC664 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.



**Figure 26.** Schematic cross section of RC640, RC646 and RC661 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 100m) and section orientation (150°) hole may appear on multiple sections.