

Figure 3. Schematic plan view map of the East and Main Zones showing drill hole locations (Newcrest & Imperial) and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases). 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ($[\text{gold grade (g/t)}] + [\text{copper grade (\%)} \times 1.79]$), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.




Figure 4. Schematic cross section of RC641 showing Newcrest and Imperial drill holes and Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5 g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 5. Schematic cross section of RC642 and RC650 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model. Due to window size (+/- 50m) and section orientation (150°) hole may appear on multiple sections.




Figure 6. Schematic cross section of RC648 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 7. Schematic cross section of RC639 and RC647 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 8. Schematic cross section of RC645 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 9. Schematic cross section of RC658 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 10. Schematic cross section of RC640 and RC646 showing Newcrest and Imperial drill holes and Newcrest drill intercepts (drill intercepts have been reported in Appendix 2 of this report, and in prior Newcrest exploration releases) 0.5g/t AuEq, 1g/t AuEq and 2g/t AuEq shell projections generated from Leapfrog model.




Figure 17. Schematic plan view map of the Gully Zone showing Newcrest and Imperial drill hole locations and significant Newcrest intercepts (drill intercepts have been reported in Appendix 2 of this release, and in prior Newcrest exploration releases). 1g/t Au and 2g/t Au shell projections generated from a Leapfrog Model shown in 3D. 1g/t AuEq and 2g/t AuEq shell projections generated from a Leapfrog model and sliced at 800mRL. Gold Equivalent (AuEq) grade calculated using a copper conversion factor of 1.79 ($[\text{gold grade (g/t)}] + [\text{copper grade (\%)} \times 1.79]$), using US\$1,300/oz Au, US\$3.40/lb Cu and 100% recovery.