

Mount Polley Assays to Date - August 31, 2004

Northeast Zone

Drill Hole #	Length (m)	Metre Interval		Interval Length	Copper %	Gold g/t	Silver ppm
		from	to				
WB03 01	184.7	3.1 -	60.0	57.0	2.54	1.15	17.40
WB03 02	215.2	2.6 -	79.1	76.5	0.74	0.34	5.00
WB03 03	224.3	1.5 -	195.0	193.5	1.33	0.44	10.60
WB03 04	224.3	0.6 -	159.0	158.4	0.34	0.21	2.66
WB03 05	242.6	3.7 -	37.5	33.8	0.49	0.30	5.32
WB03 06	245.7	7.1 -	220.0	212.9	0.98	0.32	6.18
	<i>including</i>	7.1 -	110.0	102.9	1.94	0.57	11.71
WB03 07	230.4	13.4 -	217.5	204.1	1.02	0.40	7.31
	<i>including</i>	13.4 -	126.3	112.9	1.72	0.56	12.33
WB03 08	232.9	7.3 -	81.1	73.8	0.98	0.31	8.04
WB03 09	172.2	0.0 -	132.5	132.5	1.04	0.24	6.53
	<i>including</i>	62.5 -	132.5	70.0	1.69	0.39	10.38
WB03 10	212.1	21.3 -	163.6	142.3	1.16	0.40	8.20
WB03 11	221.3	24.4 -	205.0	180.6	1.00	0.40	7.30
WB03 12	123.1	0.0 -	15.2	15.2	0.72	0.23	6.65
WB03 13	53.6	abandoned -					
WB03 14	230.1	44.3 -	213.3	169.0	1.06	0.37	6.65
	<i>including</i>	55.0 -	90.0	35.0	2.02	0.79	12.81
WB03 15	221.3	30.0 -	165.0	135.0	1.16	0.35	9.58
	<i>including</i>	47.5 -	120.0	72.5	1.82	0.55	16.17
WB03 16	184.7	15.2 -	127.5	112.3	0.63	0.20	4.02
	<i>including</i>	15.2 -	37.5	22.3	1.41	0.48	9.61
WB03 17	159.1	39.6 -	74.2	34.6	1.18	0.09	10.91
WB03 18	130.2	85.0 -	97.5	12.5	0.14	0.06	0.06
WB03 19	325.2	145.3 -	265.0	119.7	1.02	0.20	9.61
	<i>including</i>	147.5 -	195.0	47.5	1.73	0.45	20.32
WB03 20	181.1	159.1 -	172.5	13.4	0.17	0.06	0.74
WB03 21	306.9	26.5 -	235.0	208.5	1.18	0.45	9.05
	<i>including</i>	26.5 -	137.5	111.0	1.78	0.79	15.34
WB04-22	215.5	95.0 -	162.5	67.5	2.00	0.94	12.83
WB04-23	277.4	62.5 -	195.0	132.5	1.22	0.53	8.48
	<i>including</i>	123.5 -	185.0	61.5	2.18	0.90	14.37
WB04-24	221.6	47.5 -	195.3	147.8	1.46	0.31	8.92
	<i>including</i>	112.5 -	187.5	75.0	2.50	0.52	15.04
WB04-25	136.3	9.1 -	67.5	58.4	1.86	0.72	15.09
	<i>including</i>	25.0 -	40.0	15.0	4.38	1.92	38.99
WB04-26	230.7	130.0 -	217.5	87.5	0.72	0.22	3.92
	<i>including</i>	137.5 -	190.0	52.5	1.01	0.34	5.90
WB04-27	355.7	200.0 -	241.0	41.0	0.87	0.30	6.68
	<i>and</i>	266.6 -	307.5	40.9	1.36	0.14	3.41
WB04-28	385.6	239.6 -	353.3	113.7	0.62	0.25	3.20
	<i>including</i>	255.0 -	297.5	42.5	0.92	0.46	4.13
WB04-29	285.0	21.3 -	158.2	136.9	1.14	0.44	8.57
	<i>and</i>	211.8 -	235.0	23.2	0.54	0.35	3.10
WB04-30	197.2	25.0 -	147.5	122.5	1.64	0.32	11.63
	<i>including</i>	52.5 -	78.3	25.8	3.51	0.96	26.84
WB04-31	136.3	40.0 -	115.6	75.6	0.50	0.20	5.05
	<i>including</i>	40.0 -	64.3	24.3	0.66	0.29	7.99
	<i>and</i>	102.5 -	115.6	13.1	1.00	0.49	7.10
WB04-32	386.2	65.0 -	77.5	12.5	0.45	0.01	3.00
	<i>and</i>	149.8 -	237.5	87.7	0.65	0.16	2.95
	<i>including</i>	150.0 -	187.5	37.5	1.02	0.14	3.31

Mount Polley Assays to Date - August 31, 2004

Northeast Zone

Drill Hole #	Length (m)	Metre Interval		Interval Length	Copper %	Gold g/t	Silver ppm
		from	to				
WB04-33	214.9	42.5	- 45.3	2.8	1.28	0.60	10.02
WB04-34	270.1	172.5	- 180.0	7.5	0.91	0.07	2.30
	<i>and</i>	205.5	- 217.5	12.0	0.51	0.05	2.02
WB04-35	224.3		-				
WB04-36	221.6	22.5	- 55.0	32.5	0.55	0.20	5.42
	<i>and</i>	115.0	- 132.5	17.5	1.04	0.63	6.47
WB04-37	248.1	177.5	- 202.5	25.0	0.62	0.11	4.42
WB04-38	248.7	8.2	- 50.0	41.8	2.16	0.66	12.51
	<i>and</i>	80.2	- 87.5	7.3	0.46	0.17	4.97
WB04-39	120.4	12.5	- 55.0	42.5	1.17	0.43	8.04
WB04-40	153.9	7.5	- 15.0	7.5	0.47	0.16	4.27
	<i>and</i>	75.0	- 95.0	20.0	0.85	0.59	7.18
WB04-41	193.9	75.3	- 79.0	3.7	1.15	0.11	4.71
	<i>and</i>	92.3	- 94.3	2.0	2.21	0.22	6.80
	<i>and</i>	120.8	- 135.3	14.5	1.27	0.93	7.80
WB04-42	248.4	160.0	- 165.0	5.0	0.50	0.13	4.25
WB04-43	157.3	48.4	- 97.6	49.2	2.09	0.93	12.05
	<i>including</i>	48.4	- 67.0	18.6	4.23	2.15	23.53
WB04-44	175.6	3.1	- 47.5	44.4	0.45	0.08	3.36
	<i>and</i>	80.0	- 135.0	55.0	1.52	0.24	10.20
WB04-45	279.5	93.6	- 115.0	21.4	0.42	0.15	2.80
	<i>and</i>	137.5	- 215.0	77.5	1.02	0.38	5.67
WB04-46	216.4	25.0	- 45.0	20.0	0.82	0.99	7.80
	<i>and</i>	77.5	- 86.0	8.5	0.88	0.49	9.03
	<i>and</i>	102.5	- 112.5	10.0	0.43	0.11	3.88
WB04-47	319.1	205.0	- 245.0	40.0	0.98	0.44	5.03
	<i>and</i>	282.5	- 291.7	9.2	0.46	0.15	2.58
WB04-48	227.4	172.5	- 212.5	40.0	0.67	0.36	4.71
	<i>including</i>	187.5	- 199.8	12.3	1.16	0.61	7.79
WB04-49	215.5	135.4	- 140.0	4.6	0.56	0.18	3.80
	<i>and</i>	158.6	- 170.0	11.4	0.75	0.54	4.98
WB04-50	246.0	85.0	- 167.5	82.5	1.30	0.20	9.15
WB04-51	419.7		-				
WB04-52	242.6	56.7	- 122.5	65.8	0.60	0.19	3.96
	<i>including</i>	56.7	- 68.4	11.7	1.83	0.46	11.45
WB04-53	171.6	10.0	- 144.3	134.3	1.70	0.56	10.62
	<i>including</i>	17.5	- 81.4	63.9	1.87	0.49	11.85
	<i>including</i>	96.5	- 128.5	32.0	2.99	0.44	17.58
WB04-54	230.1	88.0	- 102.5	14.5	0.36	0.02	2.55
	<i>and</i>	137.5	- 195.0	57.5	1.09	0.34	7.25
WB04-55	185.0	3.1	- 10.0	7.0	0.79	0.61	7.84
	<i>and</i>	68.4	- 76.7	8.3	0.31	0.13	3.54
	<i>and</i>	95.5	- 122.5	27.0	0.55	0.20	4.27
WB04-56	215.5	85.0	- 195.4	110.4	1.11	0.33	8.17
WB04-57	170.1	105.0	- 107.5	2.5	1.30	0.06	12.20
WB04-58	209.1	142.5	- 144.4	1.9	0.72	0.20	3.54
WB04-59	224.6	27.5	- 176.8	149.3	1.37	0.58	11.15
	<i>including</i>	27.5	- 107.5	80.0	2.32	1.07	19.70
	<i>including</i>	57.5	- 75.0	17.5	4.93	3.81	42.00
WB04-60	273.4	137.3	- 242.5	105.2	1.03	0.34	8.49
	<i>including</i>	155.0	- 176.6	21.6	2.70	1.19	27.10

Mount Polley Assays to Date - August 31, 2004

Northeast Zone

Drill Hole #	Length (m)	Metre Interval		Interval Length	Copper %	Gold g/t	Silver ppm
		from	to				
WB04-61	155.8	26.9	- 112.5	85.6	0.56	0.25	3.73
WB04-62	126.8		-				
WB04-63	352.7	139.5	- 289.5	150.0	0.48	0.09	1.92
WB04-64	269.8	90.0	- 237.5	147.5	0.59	0.18	3.52
	<i>including</i>	182.9	- 200.0	17.2	2.82	3.52	14.12
WB04-65	306.3	172.5	- 280.0	107.5	0.76	0.36	4.27
WB04-66	300.8	205.0	- 257.7	52.7	0.61	0.61	4.99
WB04-67	215.8		-				
WB04-68	309.7	132.5	- 135.2	2.7	0.36	0.27	1.60
WB04-69	249.0		-				
WB04-70	200.3	17.5	- 25.0	7.5	0.35	0.35	2.00
WB04-71	235.6	70.0	- 72.5	2.5	0.64	0.41	2.40
	<i>and</i>	85.0	- 88.3	3.3	0.33	0.17	1.93
	<i>and</i>	107.5	- 108.2	0.7	1.66	2.70	4.30
	<i>and</i>	187.5	- 192.5	5.0	0.40	0.16	2.15
WB04-72	216.4	30.0	- 32.3	2.3	0.57	0.26	2.90
	<i>and</i>	72.5	- 75.0	2.5	0.75	1.85	5.50
	<i>and</i>	123.8	- 130.0	6.2	0.36	0.44	1.30
WB04-73	306.3	13.4	- 15.0	1.6	0.50	0.27	3.20
	<i>and</i>	267.5	- 270.0	2.5	0.81	0.62	8.40
WB04-74	318.8	220.0	- 225.4	5.4	0.28	0.29	0.92
	<i>and</i>	285.0	- 287.5	2.5	1.47	0.86	8.30
WB04-75	209.1	75.0	- 77.5	2.5	1.34	0.26	12.80
WB04-76	203.3		-				
WB04-77	242.9	62.5	- 65.0	2.5	0.01	0.73	0.60
WB04-78	198.1		-				
WB04-79	254.8	15.2	- 46.6	31.4	0.23	0.05	1.15
	<i>and</i>	230.0	- 232.5	2.5	0.28	0.43	1.20
WB04-80	270.4	25.0	- 30.0	5.0	0.56	0.47	3.55
	<i>and</i>	60.0	- 62.5	2.5	0.77	1.00	3.90
WB04-81	319.1	97.5	- 145.4	47.9	0.63	0.08	7.49
	<i>including</i>	105.0	- 115.0	10.0	1.82	0.27	27.85
WB04-82	182.4	170.8	- 175.6	4.8	1.05	0.78	4.17
	<i>and</i>	127.5	- 145.0	17.5	0.20	0.12	1.04
	<i>and</i>	127.5	- 136.5	9.0	0.20	0.12	1.03
	<i>and</i>	132.5	- 132.8	0.3	0.76	0.31	2.70
	<i>including</i>	90.0	- 92.5	2.5	0.69	0.10	2.60
	<i>including</i>	80.9	- 82.5	1.6	1.05	0.22	3.00
WB04-83	334.4	85.0	- 93.8	8.8	0.49	0.27	2.05
	<i>and</i>	112.5	- 170.0	57.5	0.42	0.18	1.57
	<i>including</i>	142.5	- 157.5	15.0	0.81	0.22	2.93
WB04-84	249.0	72.5	- 85.0	12.5	0.37	0.04	1.66
WB04-85	242.9		-				
WB04-86	224.6	140.0	- 149.0	9.0	0.27	0.42	1.35
WB04-87	200.3	103.1	- 132.7	29.7	1.46	0.18	13.71
WB04-88	340.5	193.0	- 205.1	12.2	0.619	0.718	3.903
	<i>and</i>	229.6	- 282.5	52.9	0.49	0.06	1.65
WB04-89	236.8	72.5	- 75.0	2.5	1.52	0.86	3.10
WB04-90	267.3	171.2	- 195.6	24.4	0.59	0.04	4.00
	<i>and</i>	212.5	- 220.0	7.5	0.52	0.14	4.23
WB04-91	282.6	181.5	- 195.0	13.5	0.41	0.05	3.26

Mount Polley Assays to Date - August 31, 2004

Northeast Zone

Drill Hole #	Length (m)	Metre Interval from to	Interval Length	Copper %	Gold g/t	Silver ppm
WB04-92	349.6	202.5 - 267.2	64.7	0.85	0.25	5.24
<i>including</i>		220.2 - 267.2	47.0	1.05	0.24	6.41
<i>and</i>		293.0 - 320.0	27.0	0.32	0.14	1.79
WB04-93	215.5	27.4 - 162.5	135.1	1.40	0.30	14.26
<i>including</i>		60.0 - 112.5	52.5	2.88	0.64	30.78
WB04-94	367.9	152.5 - 165.0	12.5	0.63	0.10	7.12
<i>including</i>		222.7 - 243.1	20.4	0.41	0.40	3.61
WB04-95	322.2	27.3 - 197.3	170.1	1.48	0.43	11.51
<i>including</i>		27.4 - 122.5	95.1	2.17	0.66	18.67
WB04-96	229.3	36.6 - 74.4	37.8	0.36	0.14	1.68
WB04-97	285.3	50.0 - 57.5	7.5	0.45	0.13	2.93
<i>and</i>		100.0 - 102.5	5.0	0.36	0.13	1.90
WB04-98	<i>Assays Pending</i>	-				
WB04-99	492.0	190.0 - 440.0	250.0	0.83	0.25	6.20
<i>including</i>		400.0 - 440.0	40.0	1.18	0.70	11.62