

Mount Polley 2008/2009 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval		Interval Length (m)	Copper %	Gold g/t	Silver ppm
				from	to				
ND08-41	315	-65	154.5	39.9	120.0	80.1	0.49	0.54	-
<i>including</i>				90.0	120.0	30.0	0.67	0.81	-
ND08-42	315	-65	172.8	46.1	89.0	42.9	1.17	1.16	-
<i>including</i>				56.7	89.0	32.3	1.43	1.47	-
ND08-43	315	-70	197.3	104.5	137.0	32.5	0.29	0.15	-
ND08-44	135	-65	203.3	72.5	94.8	22.3	1.56	1.21	-
<i>and</i>				110.0	123.9	13.9	1.00	0.74	-
<i>and</i>				132.5	137.5	5.0	0.76	0.56	-
<i>and</i>				170.0	181.1	11.1	0.73	0.67	-
ND08-45	135	-65	160.6	100.0	124.5	24.5	1.33	1.05	-
ND08-46	32	-45	175.3	89.9	150.0	60.1	0.82	0.90	-
<i>including</i>				95.0	115.0	20.0	1.46	1.74	-
ND08-47	208	-45	250.0	97.0	111.8	14.8	1.25	1.55	-
<i>and</i>				172.1	221.6	49.5	0.65	0.54	-
ND08-48	0	-90	227.7	78.9	172.5	93.6	0.43	0.21	-
<i>including</i>				78.9	117.5	38.6	0.55	0.24	-
ND08-49	0	-90	194.2	110.6	168.6	58.0	0.95	0.73	-
<i>including</i>				110.6	129.2	18.5	1.95	1.41	-
<i>including</i>				138.7	147.5	8.8	1.16	1.05	-
ND08-50	0	-90	221.6	58.3	120.0	61.7	0.42	0.63	-
<i>including</i>				58.3	70.0	11.7	0.59	0.93	-
<i>and</i>				90.0	106.4	16.4	0.67	1.13	-
ND08-51	0	-90	212.5	3.1	12.5	9.5	1.47	2.60	-
<i>and</i>				41.6	106.1	64.5	1.41	1.55	-
ND08-52	0	-90	391.7	107.5	112.1	4.6	1.30	1.09	-
ND08-53	0	-90	197.2	105.5	146.8	41.3	0.96	0.57	-
ND08-54	0	-90	319.8	30.0	62.1	32.1	0.50	0.81	-
<i>and</i>				174.5	212.5	38.0	2.16	1.60	-
<i>including</i>				192.5	207.5	15.0	3.89	2.56	-
<i>and</i>				250.0	258.6	8.6	0.61	0.44	-
ND08-55	0	-90	435.0	245.9	291.2	46.3	0.49	0.55	-
<i>including</i>				270.2	290.0	19.8	0.83	1.05	-
<i>and</i>				342.5	350.0	7.5	0.71	0.30	-
<i>and</i>				390.0	407.5	17.5	0.48	0.18	-
ND08-56	0	-90	413.6	265.0	300.0	35.0	1.86	0.64	-
<i>including</i>				282.5	300.0	17.5	3.48	1.17	-
<i>including</i>				286.3	297.5	11.2	4.97	1.66	-
<i>including</i>				286.3	300.0	13.7	4.30	1.42	-

: assay data released July & October 2008

Mount Polley 2008/2009 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND08-57	0	-90	361.8	243.4	295.0	51.6	1.48	0.83	-
<i>including</i>				271.6	287.5	15.9	3.08	1.38	-
ND08-58	0	-90	352.7	NSI					-
ND08-59	0	-90	285.6	NSI					-
ND08-60	0	-90	328.3	240.2	260.0	19.8	2.12	1.08	-
ND08-61	0	-90	450.2	NSI					-
ND08-62	0	-90	570.6	336.4	357.5	21.2	0.26	0.23	1.05
<i>and</i>				447.5	470.0	22.5	0.52	0.11	2.56
ND08-63	0	-90	532.5	172.5	287.5	115.0	0.93	0.62	5.25
<i>including</i>				172.5	197.5	25.0	1.00	0.84	5.55
<i>including</i>				222.5	290.0	67.5	1.19	0.71	6.64
<i>including</i>				230.0	240.0	10.0	2.15	1.64	12.35
ND08-64	0	-90	324.6	219.5	276.8	57.3	2.11	1.25	13.14
<i>including</i>				236.0	263.0	27.0	3.29	1.88	17.89
ND08-65	0	-90	527.3	280.0	342.5	62.5	0.32	0.23	-
ND09-66	0	-90	623.9	276.8	290.0	13.3	2.40	2.47	16.76
<i>and</i>				322.4	357.5	35.1	2.25	1.36	8.53
<i>including</i>				342.5	355.0	12.5	3.72	2.02	15.96
ND09-67	0	-90	441.1	260.0	279.1	19.1	2.09	1.19	-
<i>including</i>				267.5	279.1	11.6	2.95	1.56	-
ND09-68	0	-90	343.5	132.8	137.5	4.7	1.67	1.01	-
<i>and</i>				157.2	175.0	17.8	0.41	0.33	-
<i>and</i>				217.5	243.0	25.5	1.33	0.77	-
<i>including</i>				231.3	242.5	11.2	2.36	1.30	-
<i>and</i>				255.9	267.5	11.6	0.90	0.42	-
ND09-69	0	-90	375.4	103.5	165.2	61.6	0.78	0.77	-
<i>including</i>				103.5	117.5	14.0	0.98	0.74	-
<i>including</i>				127.5	135.0	7.5	1.30	1.61	-
<i>including</i>				145.0	150.4	5.4	3.28	3.41	-
ND09-70	0	-90	346.0	22.5	30.0	7.5	0.85	1.16	-
<i>and</i>				195.0	200.0	5.0	2.34	1.76	-
<i>and</i>				242.5	260.9	18.4	1.82	1.40	-
<i>including</i>				255.0	260.9	5.9	3.73	2.78	-
ND09-71	0	-90	416.7	NSI					-
ND09-72	0	-90	311.5	132.5	171.3	38.8	0.88	0.63	-
<i>including</i>				135.0	140.4	5.4	1.43	0.91	-
<i>including</i>				144.6	149.9	5.3	2.09	1.63	-
ND09-73	0	-90	249.0	157.8	163.1	5.2	1.45	0.98	-
<i>and</i>				181.1	207.5	26.5	0.61	0.46	-
<i>including</i>				181.1	187.5	6.5	1.25	0.96	-

: assay data released March & April 2009

Mount Polley 2008/2009 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND09-74	0	-90	504.4	295.4	302.8	7.4	1.24	0.39	-
<i>and</i>				454.4	504.4	50.1	0.31	0.18	-
<i>and</i>				490.0	504.4	14.4	0.55	0.37	-
ND09-75	0	-90	364.9	<i>incomplete</i>					
ND09-76	0	-90	419.7	289.1	310.0	20.9	0.73	0.57	4.48
<i>including</i>				301.5	309.4	7.9	1.25	1.10	7.46
ND09-77	0	-90	535.5	NSI					
ND09-78	0	-90	492.9	NSI					
ND09-79	0	-90	395.3	158.1	315.1	157.0	1.73	1.11	10.53
<i>including</i>				165.7	183.6	17.9	1.48	1.55	7.67
<i>and</i>				222.5	235.2	12.7	2.27	2.52	9.44
<i>and</i>				256.6	315.1	58.6	3.24	1.49	19.55
<i>including</i>				285.3	299.7	14.4	5.08	2.68	36.10
ND09-80	0	-90	367.9	175.0	187.5	12.5	1.51	1.11	11.33
<i>and</i>				220.5	248.5	28.0	1.28	1.24	6.10
<i>and</i>				316.8	322.5	5.8	2.07	0.88	-
ND09-81	0	-90	377.0	332.5	340.0	7.5	0.24	0.18	-
ND09-82	0	-90	402.2	40.5	92.5	52.0	1.30	1.64	7.49
<i>including</i>				60.0	91.0	31.0	1.50	2.02	8.86
<i>and</i>				195.0	202.3	7.3	2.35	2.95	15.30
ND09-83	0	-90	340.5	50.0	58.1	8.1	1.84	0.72	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

Pond Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
PZ08-17	90	-60	154.5	NSI					
PZ08-18	270	-50	185.0	75.0	92.5	17.5	0.85	0.51	16.61
PZ08-19	0	-90	178.9	35.0	72.5	37.5	0.34	0.13	4.42
PZ08-20	0	-90	179.8	6.1	77.5	71.4	0.94	0.27	12.46
<i>including</i>				67.5	77.5	10.0	3.52	1.02	49.08
<i>and</i>				125.9	141.2	15.3	0.03	1.08	1.40
PZ08-21	0	-90	182.0	17.5	115.6	98.1	0.38	0.19	4.67
<i>including</i>				107.5	115.6	8.1	1.33	0.50	22.80
<i>and</i>				128.5	135.0	6.5	2.44	0.64	35.14
PZ08-22	270	-70	281.9	265.0	273.1	8.1	6.07	1.26	67.32
<i>including</i>				255.0	273.1	18.1	3.68	1.01	40.20
<i>including</i>				197.5	273.1	75.6	1.16	0.42	11.70

: assay data released October 2008

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
PZ08-23	90	-50	151.5	NSI					
PZ08-24	90	-60	223.1	NSI					
PZ08-25	270	-50	157.6	NSI					
PZ08-26	270	-60	157.6	NSI					
PZ08-27	90	-60	154.5	NSI					
PZ08-28	270	-70	297.8	240.0	271.3	31.3	1.97	0.22	
<i>including</i>				261.6	271.3	9.7	5.57	0.36	
<i>including</i>				261.6	267.5	5.9	7.38	0.41	
PZ08-29	0	-90	444.5	205.0	232.5	27.5	0.35	0.24	
<i>and</i>				272.5	287.5	15.0	0.87	0.23	
PZ08-30	0	-90	302.4	192.6	201.9	9.3	0.39	0.21	
PZ08-31	0	-90	313.9	132.8	192.5	59.7	0.24	0.23	
<i>including</i>				132.8	140.0	7.2	0.69	0.42	
PZ08-32	0	-90	246.0	110.8	167.5	56.7	0.49	0.18	
<i>including</i>				125.0	136.0	11.0	1.30	0.32	
PZ08-33	270	-77	411.8	NSI					
PZ08-34	88	-60	514.2	295.0	322.5	27.5	0.31	0.11	

: assay data released March 2009

Mount Polley 2008/2009 Drilling

Pond Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
PZ09-35	350	-45	218.9	64.2	135.4	71.3	0.57	0.22	6.81
<i>including</i>				131.0	135.4	4.4	4.20	1.03	52.31
<i>and</i>				186.1	193.8	7.7	0.03	1.00	1.42
PZ09-36	170	-50	227.7	42.5	154.0	111.5	0.57	0.43	7.84
<i>including</i>				132.5	140.0	7.5	0.68	2.46	10.43
PZ09-37	270	-50	114.9	56.1	60.0	3.9	0.39	0.19	4.82
PZ09-38	270	-50	126.2	40.0	72.5	32.5	0.54	0.28	11.34
<i>including</i>				42.5	51.5	9.0	1.11	0.48	15.65
PZ09-39			<i>incomplete</i>						
PZ09-40			<i>incomplete</i>						
PZ09-41			<i>incomplete</i>						
PZ09-42			<i>incomplete</i>						
PZ09-43	320	-72	248.7	140.0	185.0	45.0	2.03	0.42	20.66
<i>including</i>				173.1	182.4	9.3	6.40	0.89	67.68

: assay data released August 2009

Mount Polley 2008/2009 Drilling

Springer Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval		Interval Length	Copper %	Gold g/t	Silver ppm
				from	to				
SD08-69	270	-60	611.7	215.0	365.0	150.0	0.23	0.24	-
<i>including</i>				262.5	305.0	42.5	0.27	0.39	-
SD08-70	0	-90	379.8	9.1	367.5	358.4	0.40	0.31	-
<i>including</i>				105.0	302.5	197.5	0.51	0.41	-
<i>including</i>				105.0	137.5	32.5	0.81	0.77	-
SD08-71	0	-90	413.6	45.7	413.6	367.9	0.45	0.27	-
<i>including</i>				45.7	232.5	186.8	0.55	0.32	-
SD08-72	0	-90	380.4	9.1	380.1	371.0	0.51	0.26	-
<i>including</i>				205.0	355.0	150.0	0.64	0.34	-
SD08-73	0	-90	422.8	3.7	422.8	419.1	0.28	0.21	-
<i>including</i>				3.7	55.0	51.3	0.27	0.16	-
<i>including</i>				188.7	237.5	48.8	0.22	0.37	-
<i>including</i>				300.0	422.8	122.8	0.49	0.34	-
SD08-74	0	-90	474.6	4.3	270.4	266.1	0.34	0.17	-
<i>and</i>				420.0	474.6	54.6	0.47	0.53	-
SD08-75	270	-60	599.5	336.8	347.5	10.7	0.32	0.95	-
<i>and</i>				401.7	440.0	38.3	0.21	0.22	-
SD08-76	0	-90	352.7	6.1	17.5	11.4	0.62	0.58	-
<i>and</i>				55.0	167.5	112.5	0.30	0.23	-
<i>and</i>				297.5	320.0	22.5	0.36	0.16	-
SD08-77	90	-60	489.8	302.5	367.5	65.0	0.31	0.12	-
<i>and</i>				407.5	417.5	10.0	0.49	0.13	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

C2 Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
C209-77	270	-60	105.8	50.2	79.1	28.9	0.48	0.66	-
<i>including</i>				55.0	75.0	20.0	0.53	0.75	-
C209-78	270	-60	50.9	NSI					-
C209-79	0	-90	182.6	30.5	67.0	36.5	0.20	0.19	-
C209-80	270	-55	127.1	17.5	36.8	19.3	1.85	2.15	-
<i>including</i>				18.3	25.0	6.7	3.77	4.33	-
C209-81	270	-55	259.7	4.9	48.6	43.7	0.17	0.23	-
<i>and</i>				160.0	175.0	15.0	0.22	0.38	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

WX Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
WX09-01	0	-90	370.9	115.0	160.0	45.0	0.31	0.29	-
<i>and</i>				187.5	240.0	52.5	0.19	0.28	-
WX09-02	0	-90	242.9	117.1	207.5	90.4	0.36	0.96	-
<i>including</i>				200.0	205.0	5.0	0.66	2.96	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

Northeast Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t	Silver ppm
WB08-246	0	-90	185.0	3.7	42.0	38.3	3.65	1.19	37.70
<i>including</i>				15.0	42.0	27.0	3.57	1.11	33.70
<i>and</i>				92.5	130.0	37.5	0.61	0.39	3.09
WB08-247	90	-75	185.0	3.1	47.5	44.4	2.52	0.73	28.22
<i>including</i>				12.5	47.5	35.0	2.38	0.70	27.84
<i>and</i>				70.0	137.5	67.5	0.93	0.10	1.49
<i>including</i>				75.0	87.5	12.5	1.17	0.15	1.52
<i>including</i>				100.0	132.5	32.5	1.17	0.11	1.88
WB08-248	90	-45	181.4	6.1	25.0	18.9	2.63	0.39	19.25
<i>including</i>				7.5	25.0	17.5	2.65	34.00	18.69
<i>and</i>				27.5	62.5	35.0	0.53	0.03	1.63
WB08-249	260	-75	215.5	12.5	55.0	42.5	1.50	0.21	11.50
<i>including</i>				12.5	37.5	25.0	2.25	0.32	19.03
<i>and</i>				75.0	122.4	47.4	0.67	0.18	2.13
WB08-250	0	-90	285.6	28.9	86.2	57.3	0.55	0.15	0.98
<i>including</i>				28.9	35.0	6.1	1.30	0.16	4.16
<i>including</i>				72.5	85.5	13.0	4.04	0.29	35.04
WB08-251	120	-55	166.7	7.5	27.5	20.0	4.04	0.29	35.04
<i>including</i>				12.5	27.5	15.0	3.24	0.25	29.13
<i>and</i>				75.0	140.0	65.0	0.57	0.05	1.40
<i>including</i>				87.5	102.5	15.0	1.19	0.12	2.70

: assay data released October 2008

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t	Silver ppm
WB08-252	288	-52	392.3	321.2	342.1	20.9	0.77	0.13	3.85
<i>including</i>				329.4	332.9	3.5	2.06	0.23	9.42
WB08-253	240	-70	556.9	357.5	385.0	27.5	0.49	0.21	
<i>and</i>				407.5	419.1	11.6	0.81	0.15	
<i>including</i>				440.1	457.5	17.4	0.30	0.36	

: assay data released March 2009