

Sterling 144 Zone Assay Data – 2009

Underground Drilling

	Total Length (ft)	Interval from (ft)	Interval to (ft)	Length (ft)	Gold oz/t	Interval from (m)	Interval to (m)	Length (m)	Gold g/t
SU09-53	69.0	15.0	50.0	35.0	0.053	4.57	15.24	10.67	1.82
SU09-54	124.0	64.0	77.0	13.0	0.030	19.51	23.47	3.96	1.03
SU09-55	217.0	136.5	163.0	26.5	0.030	41.61	49.68	8.08	1.03
SU09-56	333.0	223.0	243.0	20.0	0.055	67.97	74.07	6.10	1.89
<i>including</i>		283.0	306.2	23.2	0.056	86.26	93.33	7.07	1.92
SU09-57	449.0	264.0	338.1	74.1	0.044	80.47	103.05	22.59	1.51
<i>including</i>		264.0	279.0	15.0	0.100	80.47	85.04	4.57	3.43
SU09-58	159.0	114.5	119.0	4.5	0.035	34.90	36.27	1.37	1.20
SU09-59	303.5	254.0	303.5	49.5	0.066	77.42	92.51	15.09	2.26
<i>including</i>		299.0	303.5	4.5	0.293	91.14	92.51	1.37	10.04
SU09-60	165.6	93.7	98.7	5.0	0.050	28.56	30.08	1.52	1.71
SU09-61	378.0	no significant intercepts							
SU09-62	334.0	83.0	98.0	15.0	0.022	25.30	29.87	4.57	0.75
SU09-63	258.0	no significant intercepts							
SU09-64	279.0	184.0	189.0	5.0	0.031	56.08	57.61	1.52	1.06
SU09-65	423.0	78.0	88.0	10.0	0.041	23.77	26.82	3.05	1.41
<i>including</i>		243.0	258.0	15.0	0.032	74.07	78.64	4.57	1.10
SU09-66	640.0	83.0	108.0	25.0	0.023	25.30	32.92	7.62	0.79
SU09-67	432.0	64.0	432.0	368.0	0.019	19.51	131.67	112.17	0.65
<i>including</i>		69.0	79.0	10.0	0.030	21.03	24.08	3.05	1.03
<i>including</i>		148.0	157.0	9.0	0.066	45.11	47.85	2.74	2.26
<i>including</i>		199.0	214.0	15.0	0.042	60.66	65.23	4.57	1.44
<i>including</i>		269.0	294.0	25.0	0.055	81.99	89.61	7.62	1.89
<i>including</i>		429.0	432.0	3.0	0.106	130.76	131.67	0.91	3.63

:: reported in news release

Sterling 144 Zone Assay Data – 2009

	Total Length (ft)	Interval from (ft)	Interval to (ft)	Length (ft)	Gold oz/t	Interval from (m)	Interval to (m)	Length (m)	Gold g/t
SU09-68	203.0	108.0	148.0	40.0	0.093	32.92	45.11	12.19	3.19
<i>including</i>		108.0	123.0	15.0	0.142	32.92	37.49	4.57	4.87
SU09-69	279.0	152.0	208.5	56.5	0.064	46.33	63.55	17.22	2.19
<i>including</i>		198.5	203.5	5.0	0.187	60.50	62.03	1.52	6.41
SU09-70	404.0	134.0	214.0	80.0	0.089	40.84	65.23	24.38	3.05
<i>including</i>		189.0	199.0	10.0	0.243	57.61	60.66	3.05	8.33
<i>including</i>		274.0	279.0	5.0	0.125	83.52	85.04	1.52	4.29
SU09-71	355.0	142.0	355.0	213.0	0.120	43.28	108.20	64.92	4.11
<i>including</i>		208.0	213.0	5.0	0.751	63.40	64.92	1.52	25.75
<i>including</i>		235.0	247.0	12.0	0.818	71.63	75.29	3.66	28.04
<i>including</i>	<i>entire dike</i>	240.5	330.5	90.0	0.086	73.30	100.74	27.43	2.95
SU09-72	199.0	129.0	154.0	25.0	0.056	39.32	46.94	7.62	1.92
<i>including</i>		134.0	139.0	5.0	0.121	40.84	42.37	1.52	4.15
SU09-73	304.0	224.0	289.0	65.0	0.053	68.28	88.09	19.81	1.82
<i>including</i>		224.0	234.0	10.0	0.089	68.28	71.32	3.05	3.05
<i>including</i>		279.0	289.0	10.0	0.145	85.04	88.09	3.05	4.97
SU09-74	299.0	142.5	244.0	101.5	0.062	43.43	74.37	30.94	2.13
<i>including</i>		178.0	189.0	11.0	0.116	54.25	57.61	3.35	3.98
<i>including</i>		228.0	244.0	16.0	0.107	69.49	74.37	4.88	3.67
SU09-75	383.0	126.0	169.7	43.7	0.075	38.40	51.72	13.32	2.57
<i>including</i>		126.0	138.0	12.0	0.119	38.40	42.06	3.66	4.08
SU09-76	284.0	168.0	173.5	5.5	0.035	51.21	52.88	1.68	1.21

:: reported in news release

Sterling 144 Zone Assay Data – 2009

	Total Length (ft)	Interval from (ft)	Interval to (ft)	Length (ft)	Gold oz/t	Interval from (m)	Interval to (m)	Length (m)	Gold g/t
SU09-77	330.0	222.6	324.0	101.4	0.066	67.85	98.76	30.91	2.26
<i>including</i>		222.6	229.0	6.4	0.158	67.85	69.80	1.95	5.42
<i>including</i>		249.0	254.0	5.0	0.200	75.90	77.42	1.52	6.86
<i>including</i>		314.0	319.0	5.0	0.113	95.71	97.23	1.52	3.87
SU09-78	254.5	59.5	88.0	28.5	0.023	18.14	26.82	8.69	1.82
<i>including</i>		63.5	72.5	9.0	0.160	19.35	22.10	2.74	5.49
<i>including</i>		181.0	188.0	7.0	0.053	55.17	57.30	2.13	1.82
SU09-79	554.0	264.0	449.0	185.0	0.042	80.47	136.86	56.39	1.44
<i>including</i>		279.0	289.0	10.0	0.111	85.04	88.09	3.05	3.81
<i>including</i>		319.0	334.0	15.0	0.113	97.23	101.80	4.57	3.87
<i>including</i>		389.0	449.0	60.0	0.042	118.57	136.86	18.29	1.44
SU09-80	276.5	0.0	276.5	276.5	0.117	0.00	84.28	84.28	4.01
<i>including</i>		4.0	39.0	35.0	0.076	1.22	11.89	10.67	2.61
<i>including</i>		74.0	264.0	190.0	0.153	22.56	80.47	57.91	5.25
<i>including</i>		224.0	229.0	5.0	0.498	68.28	69.80	1.52	17.08
<i>including</i>	<i>entire dike</i>	19.0	74.0	55.0	0.024	5.79	22.56	16.76	0.82
SU09-81	231.0	54.0	184.0	130.0	0.214	16.46	56.08	39.62	7.34
<i>including</i>		112.0	129.0	17.0	0.828	34.14	39.32	5.18	28.39
<i>including</i>		119.0	124.0	5.0	1.438	36.27	37.80	1.52	49.30
<i>including</i>	<i>entire dike</i>	16.5	54.0	37.5	0.047	5.03	16.46	11.43	1.61
SU09-82	221.00	0.0	221.00	221.0	0.096	0.00	67.36	67.36	3.29
<i>including</i>		0.0	48.00	48.0	0.080	0.00	14.63	14.63	2.74
<i>including</i>		83.0	98.00	15.0	0.319	25.30	29.87	4.57	10.94
<i>including</i>		128.0	192.00	64.0	0.116	39.01	58.52	19.51	3.98
<i>including</i>	<i>entire dike</i>	18.0	88.00	70.0	0.054	5.49	26.82	21.34	1.85

:: reported in news release

Sterling 144 Zone Assay Data – 2009

	Total Length (ft)	Interval from (ft)	Interval to (ft)	Length (ft)	Gold oz/t	Interval from (m)	Interval to (m)	Length (m)	Gold g/t
SU09-83	45.00			no significant intercepts					
SU09-84	69.00	29.0	34.00	5.0	0.032	8.84	10.36	1.52	1.10
SU09-85	259.00			no significant intercepts					

:: reported in news release