

Mount Polley 2010 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND10-101	0	-90	480.7	320.0	397.5	77.5	0.34	0.24	-
<i>and</i>				445.0	472.3	27.3	0.50	0.21	-
ND10-102	0	-90	395.3	210.0	321.4	111.4	0.97	0.70	-
<i>including</i>				210.0	220.4	10.3	1.51	1.64	-
<i>including</i>				290.0	321.4	31.4	2.33	1.46	-
WB10-255	264	-8	601.7	NSI					-

: assay data released May 2010

Mount Polley 2010 Drilling

Junction Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t
JZ10-45	270	-60	200.3	NSI				
JZ10-46	270	-60	249.0	139.9	249.0	109.1	0.19	0.28
<i>including</i>				139.9	180.0	40.1	0.25	0.51
JZ10-47	270	-60	394.4	365.0	392.5	27.5	0.33	0.13
<i>: assay data released May 2010</i>								
JZ10-48	270	-60	507.5	259.1	347.5	88.4	0.23	0.28
JZ10-49	270	-60	318.5	100.0	130.0	30.0	0.23	0.41
JZ10-50	270	-60	245.4	70.0	107.2	37.2	0.19	0.33
JZ10-51	270	-60	211.8	NSI				
JZ10-52	270	-60	449.6	160.0	307.5	147.5	0.21	0.21
JZ10-53	270	-60	248.7	140.0	150.0	10.0	0.24	0.37
JZ10-54	270	-60	263.7	5.0	17.5	12.5	0.24	0.14
JZ10-55	270	-60	297.2	92.5	127.5	35.0	0.30	0.42
<i>and</i>				252.5	272.5	20.0	0.39	0.15
JZ10-56	270	-60	316.1	20.0	42.5	22.5	0.23	0.20
<i>and</i>				185.0	197.5	12.5	0.27	0.16
JZ10-57	90	-60	245.4	117.5	135.0	17.5	0.26	0.65
JZ10-58	270	-60	379.8	20.0	32.5	12.5	0.26	0.26
<i>and</i>				132.5	147.5	15.0	0.35	0.11
<i>and</i>				262.5	287.5	25.0	0.41	0.23
<i>and</i>				297.5	327.5	30.0	0.39	0.18
JZ10-59	270	-60	425.2	NSI				
JZ10-60	270	-60	269.8	160.0	183.6	23.6	0.14	0.28
JZ10-61	270	-60	495.6	382.4	451.1	68.7	0.26	0.30
JZ10-62	270	-60	313.0	NSI				

: assay data released July 2010

Mount Polley 2010 Drilling

Pond Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval		Interval Length (m)	Copper %	Gold g/t	Silver ppm
				from	to				
PZ10-52	69	-55	384.3	283.9	296.1	12.2	4.25	1.26	34.37
<i>including</i>				290.3	296.1	5.7	8.34	2.22	65.1
PZ10-53	77	-58	383.1	252.5	264.3	11.8	0.36	0.19	-
<i>and</i>				278.0	315.8	37.8	0.36	0.23	-
PZ10-54	55	-51	334.4	NSI					-
PZ10-55	280	-80	326.4	147.5	237.5	90.0	1.23	0.60	13.9
<i>including</i>				213.9	229.4	15.5	3.73	2.09	44.9
PZ10-56	91	-60	325.2	NSI					-
PZ10-57	95	-53	324.0	197.5	269.5	72.0	0.89	0.35	-
<i>including</i>				218.4	226.3	8.0	2.23	0.44	-
<i>including</i>				238.8	269.5	30.7	1.26	0.61	-
PZ10-58	300	-65	325.2	147.5	160.8	13.3	1.93	0.39	29.1
PZ10-59	309	-62	268.3	79.6	149.5	69.9	0.40	0.16	-
<i>including</i>				112.5	124.8	12.3	0.69	0.26	-
							<i>: assay data released May 2010</i>		
PZ10-60	240	-50	164.0	21.3	35.0	13.7	0.21	0.24	-
<i>and</i>				45.0	57.5	12.5	0.14	0.24	-

Mount Polley 2010 Drilling

Springer Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t
SD10-98	270	-70	349.6	NSI				
SD10-99	50	-15	799.5	360.0	370.0	10.0	0.21	0.26
<i>and</i>				562.1	765.0	202.9	0.35	0.26
SD10-100	71	-43	511.5	7.2	22.5	15.3	0.20	0.28
<i>and</i>				155.0	169.8	14.8	0.93	0.51
<i>and</i>				251.2	472.5	221.3	0.32	0.34
<i>including</i>				415.0	440.0	25.0	0.54	1.01
SD10-101	0	0	552.6	352.5	370.0	17.5	0.37	0.50
<i>and</i>				387.5	397.5	10.0	0.50	0.36
<i>and</i>				407.5	418.0	10.5	0.38	0.41
<i>and</i>				435.0	502.5	67.5	0.29	0.24
<i>and</i>				545.0	552.6	7.6	0.28	0.72
SD10-102	60	-23	599.5	277.5	506.6	229.1	0.31	0.32
<i>including</i>				277.5	380.7	103.2	0.34	0.33
<i>including</i>				393.6	506.6	112.9	0.31	0.35
<i>including</i>				466.2	506.6	40.3	0.34	0.57
SD10-103	127	-22.5	431.9	316.3	429.6	113.3	0.27	0.37
<i>including</i>				316.3	332.5	16.2	0.54	1.08

Mount Polley 2010 Drilling

Southeast Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
SE10-82	90	-70	249.0	NSI					
SE10-83	90	-60	405.0	NSI					

Mount Polley 2010 Drilling

WX Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t
WX10-03	270	-70	380.1	50.0	210.0	160.0	0.24	0.37
<i>including</i>				158.3	172.5	14.2	0.52	1.25
<i>and</i>				345.0	352.5	7.5	0.33	1.86
<i>: assay data released May 2010</i>								
WX10-04			413.3	150.0	257.5	107.5	0.16	0.19
<i>and</i>	90	-60		279.1	360.0	80.9	0.23	0.37
<i>including</i>				332.5	360.0	27.5	0.35	0.58
WX10-05	270	-60	331.0	3.1	155.0	151.9	0.16	0.35
<i>including</i>				20.0	80.0	60.0	0.22	0.58
<i>and</i>				222.5	250.0	27.5	0.12	0.28
WX10-06	270	-70	450.2	97.5	287.5	190.0	0.53	0.86
<i>including</i>				192.4	282.5	90.1	0.90	1.59
<i>including</i>				242.5	282.5	40.0	1.30	2.46
WX10-07	270	-70	418.4	7.5	45.0	37.5	0.20	0.15
<i>and</i>				70.0	178.3	108.3	0.22	0.21
<i>including</i>				145.0	165.0	20.0	0.44	0.53
WX10-08	90	-60	552.6	87.5	143.1	55.6	0.23	0.35
<i>and</i>				190.0	212.5	22.5	0.10	0.23
<i>and</i>				225.0	509.2	284.2	0.30	0.55
<i>including</i>				287.5	329.7	42.2	0.54	0.99
<i>including</i>				360.0	372.5	12.5	0.50	1.34
<i>including</i>				420.0	495.0	75.0	0.48	0.87
<i>: assay data released July 2010</i>								
WX10-09	90	-60	666.6	231.5	338.7	107.1	0.44	0.80
<i>including</i>				255.0	312.9	57.9	0.58	1.16
<i>including</i>				286.8	312.9	26.1	0.87	1.79
<i>and</i>				366.0	387.5	21.5	0.27	0.80
<i>and</i>				410.0	425.0	15.0	0.27	0.43
<i>and</i>				435.0	510.0	75.0	0.37	0.51
<i>and</i>				572.5	583.7	11.2	0.34	0.98
WX10-10	270	-70	578.8	67.5	97.5	30.0	0.12	0.29
<i>and</i>				147.5	292.5	145.0	0.13	0.25
<i>and</i>				417.5	430.0	12.5	0.14	0.37
<i>and</i>				550.0	560.0	10.0	0.21	0.40
WX10-11	270	-70	721.5	17.1	85.0	67.9	0.56	0.59
<i>and</i>				162.5	180.0	17.5	0.35	0.47
<i>and</i>				205.0	220.0	15.0	0.63	1.34
<i>and</i>				257.5	267.5	10.0	0.22	0.83
<i>and</i>				285.0	337.5	52.5	0.31	0.67
<i>and</i>				529.5	598.5	69.0	0.40	0.85
<i>including</i>				529.5	550.0	20.5	0.55	1.24
<i>and</i>				580.2	597.5	17.3	0.73	1.63

Mount Polley 2010 Drilling

WX Zone *continued*

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval		Interval Length (m)	Copper %	Gold g/t
				from	to			
WX10-12	270	-70	517.3	10.0	47.5	37.5	0.12	0.42
<i>and</i>				67.5	77.5	10.0	0.13	0.41
<i>and</i>				245.0	277.5	32.5	0.08	0.35
<i>and</i>				310.0	322.5	12.5	0.25	0.98
WX10-13	270	-70	633.1	35.0	130.0	95.0	0.34	0.48
<i>including</i>				95.0	105.0	10.0	1.10	1.88
<i>and</i>				262.5	312.5	50.0	0.33	0.54
<i>and</i>				573.5	590.0	16.5	0.51	1.55
WX10-14	270	-70	601.1	195.0	220.0	25.0	0.16	0.33
<i>and</i>				377.5	406.7	29.2	0.22	0.34
WX10-15	270	-70	465.4	267.5	367.5	100.0	0.34	0.96
<i>including</i>				317.5	335.3	17.8	0.73	2.47
WX10-16	90	-60	532.5	NSI				
WX10-17	90	-60	633.1	NSI				
WX10-18	270	-70	523.3	25.0	65.5	40.5	0.70	0.50
<i>and</i>				87.5	107.5	20.0	0.29	0.39
<i>and</i>				155.0	182.5	27.5	0.22	0.17
<i>and</i>				242.5	251.0	8.5	0.60	1.37
<i>and</i>				265.0	350.0	85.0	0.27	0.40
<i>including</i>				305.0	325.0	20.0	0.41	0.81
WX10-19	270	-70	72.5	15.2	55.0	39.8	0.18	0.19
WX10-20	90	-60	490.7	35.0	50.0	15.0	0.27	0.10
<i>and</i>				252.5	280.0	27.5	0.22	0.32
WX10-21	90	-60	479.9	365.0	375.0	10.0	0.36	0.15
WX10-22	270	-70	672.7	272.5	300.0	27.5	0.35	0.36
<i>and</i>				330.0	337.5	7.5	0.29	0.80
<i>and</i>				350.0	507.5	157.5	0.35	0.50
<i>including</i>				440.0	452.5	12.5	0.70	1.25
<i>and</i>				580.1	592.5	12.4	0.42	0.67
WX10-23	270	-70	569.1	100.0	115.0	15.0	0.37	0.34
<i>and</i>				132.5	142.5	10.0	0.38	0.68
<i>and</i>				277.5	295.0	17.5	0.22	0.52
<i>and</i>				340.0	492.5	152.5	0.52	0.82
<i>including</i>				407.5	492.5	85.0	0.64	1.02
WX10-24	270	-70	474.6	25.0	125.0	100.0	0.17	0.25
<i>and</i>				170.0	312.5	142.5	0.24	0.54
WX10-25	270	-70	300.8	88.3	112.5	24.2	0.15	0.30
WX10-26	90	-60	547.1	NSI				
WX10-27	90	-60	620.9	50.0	125.0	75.0	0.12	0.46
<i>and</i>				165.0	295.0	130.0	0.45	1.21
<i>and</i>				475.0	500.0	25.0	0.33	0.62
<i>and</i>				555.0	607.5	52.5	0.17	0.34

: assay data released Oct 2010

Mount Polley 2010 Drilling

Northeast Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
WB10-256	60	-60	319.1	185.8	197.1	11.3	0.76	0.42	-
<i>and</i>				285.0	297.5	12.5	0.50	0.54	-
WB10-257	60	-70	319.1	NSI					-

: assay data released May 2010

Mount Polley 2010 Drilling

Ace Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
AC10-03	215	-60	319.1	NSI					-
AC10-04	215	-60	334.4	NSI					-
AC10-05	215	-60	334.4	57.5	95.0	37.5	0.23	0.23	-

: assay data released May 2010