

## Sterling 144 Zone Assay Data – *historical*

Drill Hole #	Interval (feet)		Interval (metres)		Length		Gold Assay		
	from	to	from	to	(feet)	(metres)	oz/t	g/t	
<b>Discovery Hole</b>									
89 144	515.0	735.0	157.0	224.0	225.0	68.6	0.04	1.51	
<b>2001</b>									
01 7	Abandoned								
01 7A	685.0	795.0	208.8	242.3	110.0	33.5	0.15	5.28	
	incl				20.0	6.1	0.32	10.83	
					10.0	3.0	0.42	14.25	
01 9	730.0	775.0	222.5	236.2	45.0	13.7	0.57	19.56	
	incl				20.0	6.1	1.03	35.41	
					10.0	3.0	1.71	58.62	
01 10	825.0	855.0	251.5	260.6	30.0	9.1	0.08	2.74	
	incl	840.0	850.0	256.0	259.1	10.0	3.0	0.10	3.18
01 11	565.0	575.0	172.2	175.3	10.0	3.0	0.04	1.41	
01 12	725.0	745.0	221.0	227.1	20.0	6.1	0.02	0.79	
01 13	710.0	755.0	216.4	230.1	45.0	13.7	0.06	1.11	
	incl	735.0	740.0	224.0	225.6	5.0	1.5	0.10	3.48
01 14	640.0	680.0	195.1	207.3	40.0	12.2	0.06	1.60	
	incl	655.0	660.0	199.6	201.2	5.0	1.5	0.09	2.92
<b>2002</b>									
02 18	633.0	762.0	192.9	232.3	129.0	39.3	0.20	6.86	
	incl	705.5	762.0	215.0	232.3	56.5	17.2	0.40	13.71
		720.0	757.0	219.5	230.7	37.0	11.3	0.54	18.51
		723.7	738.5	220.6	225.1	14.8	4.5	0.99	33.94
		723.7	728.0	220.6	221.9	4.3	1.3	2.02	69.26
		750.0	752.0	228.6	229.2	2.0	0.6	1.02	34.97
02 19	669.0	794.0	203.9	242.0	125.0	38.1	0.13	4.40	
	incl	673.5	692.5	205.3	211.1	19.0	5.8	0.19	6.64
		683.0	692.5	208.2	211.1	9.5	2.9	0.27	9.25
		687.0	692.5	209.4	211.1	5.5	1.7	0.31	10.70
		719.5	729.5	219.3	222.4	10.0	3.0	0.22	7.59
		719.5	724.5	219.3	220.8	5.0	1.5	0.30	10.39
		745.0	764.0	227.1	232.9	19.0	5.8	0.18	6.04
		750.0	753.5	228.6	229.7	3.5	1.1	0.28	9.46
		781.0	794.0	238.0	242.0	13.0	4.0	0.17	5.78
02 20	675.5	757.2	205.9	230.8	81.7	24.9	0.08	2.74	
	incl	694.5	699.0	211.7	213.1	4.5	1.4	0.13	4.46
		728.0	757.2	221.9	230.8	29.2	8.9	0.11	3.77
		733.5	748.5	223.6	228.1	15.0	4.6	0.14	4.80
		733.5	739.5	223.6	225.4	6.0	1.8	0.20	6.86
		736.5	739.5	224.5	225.4	3.0	0.9	0.26	8.91
		778.2	784.8	237.2	239.2	6.6	2.0	0.15	5.14

## Sterling 144 Zone Assay Data – *historical*

02	21	693.0	740.5	211.2	225.7	47.5	14.5	0.51	17.56
	incl	706.7	740.5	215.4	225.7	33.8	10.3	0.70	23.86
		721.0	740.5	219.8	225.7	19.5	5.9	1.08	37.03
02	22	730.0	757.0	222.5	230.7	27.0	8.2	0.08	2.74
	incl	733.0	740.0	223.4	225.6	7.0	2.1	0.09	3.09
		749.2	757.0	228.4	230.7	7.8	2.4	0.13	4.46
02	23	717.8	749.7	218.8	228.5	31.9	9.7	0.13	4.46
	incl	722.0	725.7	220.1	221.2	3.7	1.1	0.21	7.20
		742.0	748.6	226.2	228.2	6.6	2.0	0.21	7.20
		746.0	748.6	227.4	228.2	2.6	0.8	0.41	14.06
<b>2003</b>									
03	24	671.7	810.7	204.7	247.1	139.0	42.4	0.26	9.06
	incl	685.2	768.3	208.8	234.2	83.1	25.3	0.39	13.36
		729.1	751.0	222.2	228.9	21.9	6.7	0.82	27.96
		737.0	748.3	224.6	228.1	11.3	3.4	0.93	31.95
		743.0	748.3	226.5	228.1	5.3	1.6	1.41	48.35
03	25	701.1	755.0	213.7	230.1	53.9	16.4	0.05	1.80
	incl	710.2	730.6	216.5	222.7	20.4	6.2	0.10	3.30
		717.0	726.4	218.5	221.4	9.4	2.9	0.14	4.60
03	26	695.0	750.0	211.8	228.6	55.0	16.8	0.05	1.82
	incl	740.0	745.0	225.6	227.1	5.0	1.5	0.16	5.61
03	27	700.0	740.0	213.4	225.6	40.0	12.2	0.04	1.27
	incl	800.0	810.0	243.8	246.9	10.0	3.0	0.06	1.90
03	28	705.0	750.0	214.9	228.6	45.0	13.7	0.25	8.72
	incl	725.0	745.0	221.0	227.1	20.0	6.1	0.50	17.14
		730.0	740.0	222.5	225.6	10.0	3.0	0.75	25.85
		730.0	735.0	222.5	224.0	5.0	1.5	0.99	33.95
03	29	640.0	678.2	195.1	206.7	38.2	11.6	0.10	3.38
	incl	655.0	678.2	199.6	206.7	23.2	7.1	0.16	5.33
		655.0	664.4	199.6	202.5	9.4	2.9	0.28	9.56
		700.9	744.0	213.6	226.8	43.1	13.1	0.08	2.66
	incl	705.0	728.0	214.9	221.9	23.0	7.0	0.10	3.51
		710.3	721.9	216.5	220.0	11.6	3.5	0.14	4.66
		752.7	787.7	229.4	240.1	35.0	10.7	0.10	3.34
	incl	771.0	778.0	235.0	237.1	7.0	2.1	0.30	10.34
		775.0	778.0	236.2	237.1	3.0	0.9	0.50	17.15
03	30	660.0	681.4	201.2	207.7	21.4	6.5	0.04	1.40

## Sterling 144 Zone Assay Data – *historical*

03	31	665.0	745.0	202.7	227.1	80.0	24.4	0.06	1.95
	incl	710.0	720.0	216.4	219.5	10.0	3.0	0.10	3.56
03	32	705.0	730.0	214.9	222.5	25.0	7.6	0.03	1.12
	incl	715.0	720.0	217.9	219.5	5.0	1.5	0.06	2.08
03	33	753.0	810.0	229.5	246.9	57.0	17.4	0.11	3.80
	incl	795.3	810.0	242.4	246.9	14.7	4.5	0.31	10.60
		805.0	810.0	245.4	246.9	5.0	1.5	0.45	15.40
03	34	800.0	815.0	243.8	248.4	15.0	4.6	0.07	2.43
	incl	810.0	815.0	246.9	248.4	5.0	1.5	0.14	4.89
03	35	725.0	730.0	221.0	222.5	5.0	1.5	0.03	1.07
		740.0	745.0	225.6	227.1	5.0	1.5	0.04	1.51
03	36	867.0	898.5	264.3	273.9	31.5	9.6	0.03	1.13
03	37	865.0	885.0	263.7	269.7	20.0	6.1	0.11	3.81
		<i>extends the 144 Zone approximately 100 feet northwest from ST03-34</i>							
03	38	680.0	775.0	207.3	236.2	95.0	29.0	0.07	2.56
	incl	745.0	765.0	227.1	233.2	20.0	6.1	0.10	3.42
		<i>footwall side of the dike approximately 50 feet east from 01-7A</i>							
03	39	805.0	825.0	245.4	251.5	20.0	6.1	0.09	3.21
	incl	805.0	815.0	245.4	248.4	10.0	3.0	0.12	4.03
	incl	805.0	810.0	245.4	246.9	5.0	1.5	0.17	5.76
		<i>extends the 144 Zone approximately 35 feet west of ST03-34</i>							
03	40	590.0	605.0	179.8	184.4	15.0	4.6	0.05	1.61
	incl	590.0	595.0	179.8	181.4	5.0	1.5	0.08	2.61
		<i>abandoned prior to reaching the intended target</i>							
03	41	625.0	650.0	190.5	198.1	25.0	7.6	0.05	1.70
		730.0	760.0	222.5	231.6	30.0	9.1	0.12	4.28
	incl	735.0	755.0	224.0	230.1	20.0	6.1	0.17	5.70
	incl	740.0	750.0	225.6	228.6	10.0	3.0	0.22	7.66
03	42	580.0	590.0	176.8	179.8	10.0	3.0	0.09	3.20
	incl	585.0	590.0	178.3	179.8	5.0	1.5	0.13	4.31
		735.0	785.0	224.0	239.3	50.0	15.2	0.07	2.37
	incl	765.0	780.0	233.2	237.7	15.0	4.6	0.10	3.29
03	43	765.0	820.0	233.2	249.9	55.0	16.8	0.05	1.58
	incl	785.0	790.0	239.3	240.8	5.0	1.5	0.10	3.36

## Sterling 144 Zone Assay Data – *historical*

03	44	no significant mineralization <i>failed to reach intended target due to hole deviation</i>							
03	45	no significant mineralization <i>abandoned prior to reaching the intended target</i>							
03	46	570.0	595.0	173.7	181.4	25.0	7.6	0.03	1.14
		675.0	700.0	205.7	213.4	25.0	7.6	0.03	1.08
		<i>abandoned prior to reaching the intended target</i>							
03	47	1125.0	1130.0	342.9	344.4	5.0	1.5	0.05	1.58
		<i>narrow, weaker mineralization 380 feet north of ST03-37</i>							
03	48	790.0	820.0	240.8	249.9	30.0	9.1	0.05	1.69
	incl	815.0	820.0	248.4	249.9	5.0	1.5	0.08	2.77
		<i>extends 144 Zone approx 180 feet NW from ST03-28</i>							
03	49	740.0	785.0	225.6	239.3	45.0	13.7	0.05	1.77
	incl	775.0	780.0	236.2	237.7	5.0	1.5	0.09	3.18
03	50	600.0	605.0	182.9	184.4	5.0	1.5	0.04	1.34
		<i>narrow, weaker mineralization 350 feet west of ST03-28</i>							
03	51	905.0	945.0	275.8	288.0	40.0	12.2	0.08	2.88
	incl	915.0	940.0	278.9	286.5	25.0	7.6	0.10	3.49
	incl	930.0	940.0	283.5	286.5	10.0	3.0	0.14	4.87
	incl	935.0	940.0	285.0	286.5	5.0	1.5	0.18	6.11
03	52	645.0	710.0	196.6	216.4	65.0	19.8	0.10	3.39
	incl	670.0	705.0	204.2	214.9	35.0	10.7	0.14	4.68
	incl	670.0	685.0	204.2	208.8	15.0	4.6	0.19	6.60
	incl	675.0	685.0	205.7	208.8	10.0	3.0	0.23	8.03