

Mount Polley 2007 Drilling

Northeast Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
WB07-233	240	-60	263.0	NSI					
WB07-234	240	-60	249.0	NSI					
WB07-235	60	-70	825.1	423.1	445.0	22.0	0.48	0.01	1.99
WB07-236	240	-60	200.3	NSI					
WB07-237	240	-60	236.8	NSI					
WB07-238	240	-60	328.3	NSI					
WB07-239	240	-60	611.7	348.4	450.0	101.6	0.41	0.13	4.62
WB07-240	0	-90	535.5	NSI					
WB07-241	160	-70	594.7	130.9	540.0	409.1	0.80	0.39	5.72
<i>including</i>				210.0	221.3	11.3	1.51	0.57	10.72
<i>and</i>				342.5	352.5	10.0	2.30	2.28	26.00
<i>and</i>				390.0	435.0	45.0	1.53	0.70	10.21
WB07-242	0	-90	674.5	299.5	322.5	23.0	0.28	0.21	1.48
<i>and</i>				637.5	640.0	2.5	2.31	0.06	14.38
WB07-243	70	-80	551.1	6.1	56.2	50.1	0.74	0.19	-
<i>and</i>				190.0	217.5	27.5	0.57	0.28	-
WB07-244	193	-63	431.6	319.2	335.2	16.0	1.13	0.23	-
WB07-245	219	-67	709.3	222.5	237.5	15.0	0.44	0.11	-
<i>and</i>				540.0	602.5	62.5	0.94	1.83	-
<i>including</i>				540.0	557.0	17.0	1.57	2.08	-
<i>and</i>				585.0	602.5	17.5	1.44	3.54	-

: assay data released May & July 2007; March 2008

Mount Polley 2007 Drilling

Springer Zone (1)

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t
SD07-20	90	-60	639.2	185.0	639.2	454.2	0.44	0.30
<i>including</i>				297.5	345.0	47.5	1.13	0.43
SD07-21	90	-60	579.1	292.5	579.1	286.6	0.38	0.39
<i>including</i>				467.5	522.5	55.0	0.63	0.82
SD07-22	90	-60	459.3	350.0	459.3	109.3	0.43	0.31
<i>including</i>				385.0	459.3	74.3	0.54	0.41
<i>including</i>				417.5	427.5	10.0	1.50	1.23
SD07-23	270	-60	392.0	NSI				
SD07-24	270	-60	258.2	6.7	125.0	118.3	0.36	0.15
SD07-25	270	-60	212.5	NSI				
SD07-26	90	-60	211.2	NSI				
SD07-27	90	-60	322.2	22.5	65.0	42.5	0.09	0.38
SD07-28	90	-60	255.1	NSI				
SD07-29	90	-60	416.1	6.1	416.1	410.0	0.33	0.16
<i>including</i>				135.0	230.0	95.0	0.44	0.21
SD07-30	240	-50	335.3	80.0	180.0	100.0	0.22	0.25
<i>including</i>				92.5	142.5	50.0	0.28	0.32
SD07-31	90	-60	227.1	162.5	227.1	64.6	0.35	0.25
SD07-32	90	-60	438.0	NSI				
SD07-33	90	-60	175.9	95.0	149.3	54.3	0.27	0.27
<i>including</i>				116.4	149.3	32.9	0.32	0.33
<i>including</i>				159.8	172.3	12.5	0.34	0.30
SD07-34	90	-60	233.8	6.1	25.0	18.9	0.28	0.12
SD07-35	270	-60	285.6	NSI				
SD07-36	90	-60	517.3	100.0	125.0	25.0	0.31	0.35
<i>including</i>				275.0	488.1	213.1	0.36	0.48
<i>including</i>				402.5	482.5	80.0	0.41	0.63
SD07-37	90	-60	150.0	NSI				
SD07-38	270	-50	398.7	NSI				
SD07-39	0	-90	145.4	NSI				
SD07-40	90	-60	240.2	40.0	70.0	30.0	0.29	0.19
SD07-41	270	-60	480.1	157.5	467.5	310.0	0.34	0.36
<i>and</i>		-60		302.5	352.5	50.0	0.71	0.81
SD07-42	90	-60	374.0	35.0	349.0	314.0	0.28	0.33
<i>and</i>		-60		40.0	120.0	80.0	0.42	0.35
SD07-43	90	-60	264.3	NSI				
SD07-44	90	-60	285.6	NSI				
SD07-45	270	-60	407.5	152.5	407.5	255.0	0.21	0.32
SD07-46	90	-55	424.6	NSI				
SD07-47	-60	-270	273.4	NSI				
SD07-48	90	-60	628.2	472.5	552.5	80.0	0.81	0.91
<i>including</i>				472.5	485.0	12.5	1.19	1.35
<i>including</i>				502.5	517.5	15.0	0.89	0.69
<i>including</i>				525.0	552.5	27.5	0.95	1.35

: assay data released May & July 2007

Mount Polley 2007 Drilling

Springer Zone (2)

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t
SD07-49	90	-60	303.9	20.3	40.0	19.8	0.40	0.26
<i>and</i>				142.5	185.0	42.5	0.27	0.47
<i>and</i>				260.3	272.6	12.3	0.20	0.39
SD07-50	270	-60	288.6	9.1	21.0	11.9	0.33	0.17
<i>and</i>				40.0	55.0	15.0	0.32	0.14
<i>and</i>				105.0	150.0	45.0	0.29	0.35
<i>and</i>				247.5	267.5	20.0	0.19	0.40
SD07-51	270	-60	288.0	62.5	110.0	47.5	0.30	0.21
<i>and</i>				217.5	252.5	35.0	0.26	0.17
SD07-52	90	-60	404.5	150.0	195.0	45.0	0.32	0.26
<i>and</i>				340.9	370.0	29.1	0.30	0.29
SD07-53	90	-55	598.9	100.0	247.7	147.7	0.38	0.28
<i>including</i>				102.5	127.5	25.0	0.62	0.53
<i>including</i>				175.7	247.7	72.0	0.43	0.31
<i>and</i>				282.5	305.0	22.5	0.38	0.19
<i>and</i>				362.5	425.0	62.5	0.42	0.40
SD07-54	90	-60	553.8	175.0	185.0	10.0	0.49	0.49
<i>and</i>				255.0	337.5	82.5	0.34	0.29
<i>and</i>				403.8	542.5	138.7	0.31	0.46
SD07-55	90	-60	622.4	247.5	285.0	37.5	0.35	0.25
<i>and</i>				337.5	560.0	222.5	0.30	0.38
SD07-56	270	-60	587.4	72.5	108.1	35.5	0.36	0.35
<i>and</i>				120.7	140.0	19.4	0.30	0.37
<i>and</i>				187.5	327.5	140.0	0.35	0.30
<i>and</i>				362.5	390.0	27.5	0.37	0.28
<i>and</i>				452.5	582.5	130.0	0.30	0.48
<i>including</i>				497.5	540.0	42.5	0.37	0.79
SD07-57	270	-60	200.3	NSI				
SD07-58	90	-60	707.4	215.0	225.0	10.0	0.13	0.63
<i>and</i>				552.5	565.0	12.5	0.32	0.29
<i>and</i>				657.5	695.0	37.5	0.29	0.29
SD07-59	90	-60	294.7	20.0	37.5	17.5	0.19	0.54
<i>and</i>				173.2	187.5	14.3	0.30	0.23
SD07-60	90	-60	745.9	219.4	610.0	390.6	0.29	0.37
<i>including</i>				450.0	610.0	160.0	0.28	0.56
<i>and</i>				620.0	627.5	7.5	0.25	1.22
<i>and</i>				640.0	647.5	7.5	0.16	0.57
<i>and</i>				687.5	702.5	15.0	0.17	0.44
SD07-61	90	-60	691.0	420.0	537.5	117.5	0.45	0.43
<i>including</i>				512.5	527.5	15.0	1.12	0.93
<i>and</i>				585.0	612.5	27.5	0.20	0.23
<i>and</i>				670.0	682.5	12.5	0.21	0.32
SD07-62	90	-60	323.7	26.7	275.0	248.3	0.28	0.32
<i>including</i>				26.7	115.0	88.3	0.40	0.40
<i>including</i>				130.6	190.0	59.4	0.27	0.43
<i>including</i>				223.6	245.0	21.4	0.29	0.31
<i>including</i>				257.5	275.0	17.5	0.19	0.30

: assay data released March 2008

Mount Polley 2007 Drilling

Springer Zone (3)

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t
SD07-63	270	-60	337.4	137.5	150.0	12.5	0.26	0.28
<i>and</i>				247.5	335.0	87.5	0.27	0.48
<i>including</i>				285.0	335.0	50.0	0.31	0.60
<i>including</i>				310.0	322.5	12.5	0.40	1.14
SD07-64	90	-60	261.2	182.5	261.2	78.7	0.33	0.28
<i>including</i>				215.0	261.2	46.2	0.39	0.35
SD07-65	270	-60	279.5	NSI				
SD07-66	90	-60	133.2	107.5	122.5	15.0	0.22	0.18
SD07-67	270	-60	206.4	NSI				
SD07-68	90	-60	614.8	362.5	492.5	130.0	0.26	0.29
<i>including</i>				362.5	427.5	65.0	0.24	0.41
<i>and</i>				440.0	460.0	20.0	0.39	0.37
<i>and</i>				472.5	492.5	20.0	0.41	0.05
JZ07-02	90	-60	389.3	182.5	347.5	165.0	0.38	0.20
<i>including</i>				182.5	217.5	35.0	0.60	0.32
<i>including</i>				233.7	280.4	46.7	0.43	0.25
<i>including</i>				312.5	347.5	35.0	0.43	0.19

: assay data released March 2008

Mount Polley 2007 Drilling

Pond Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval		Interval Length	Copper %	Gold g/t	Silver ppm
				from	to				
PZ07-05	90	-50	172.2	57.5	97.5	40.0	0.40	0.14	5.22
<i>including</i>				72.5	97.5	25.0	0.56	0.17	7.17
PZ07-06	90	-90	267.3	9.1	155.0	145.9	0.52	0.31	7.54
<i>including</i>				35.0	67.5	32.5	1.16	0.58	15.22
PZ07-07	280	-70	383.1	102.5	112.1	9.6	0.47	0.37	3.81
<i>and</i>				162.5	190.1	27.6	1.04	0.22	14.64
<i>including</i>				167.5	182.5	15.0	1.60	0.31	21.33
<i>and</i>				216.8	236.6	19.7	0.80	0.32	11.42
PZ07-08	70	-70	328.3	100.0	112.5	12.5	0.27	0.24	-
<i>and</i>				136.3	160.0	23.7	0.36	0.61	-
PZ07-09	270	-60	343.5	10.0	22.5	12.5	0.29	0.14	3.42
<i>and</i>				35.0	59.6	24.6	0.49	0.13	5.36
PZ07-10	165	-50	203.3	15.0	110.0	95.0	0.20	0.21	1.57
<i>including</i>				87.5	110.0	22.5	0.38	0.36	3.53
PZ07-11	345	-50	200.3	15.0	74.8	59.8	0.74	0.31	12.82
<i>including</i>				48.3	74.8	26.5	1.20	0.47	23.49
PZ07-12	90	-60	338.7	NSI					
PZ07-13	270	-70	246.0	45.0	80.0	35.0	0.46	0.26	-
<i>and</i>				118.9	161.3	42.4	0.52	0.30	-
PZ07-14	90	-60	239.9	167.5	187.5	20.0	0.63	0.92	-
PZ07-15	90	-60	300.8	NSI					-
PZ07-16	0	-90	187.8	150.0	187.8	37.8	0.22	0.24	-

: assay data released May 2007; March 2008 & July 2008

Mount Polley 2007 Drilling

C2 Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval		Interval Length (m)	Copper %	Gold g/t
				from	to			
C207-71			294.7	90.7	97.0	6.3	1.55	2.57
<i>and</i>				105.7	117.9	12.2	0.39	0.87
<i>and</i>				230.0	294.7	64.7	0.26	0.38
C207-72			204.8	12.2	20.0	7.8	0.28	0.26
<i>and</i>				27.5	70.0	42.5	0.31	0.36
<i>and</i>				120.0	204.8	84.8	0.20	0.28
C207-73			206.4	80.0	112.5	32.5	0.59	0.86
<i>including</i>				87.5	100.0	12.5	1.05	1.46
<i>and</i>				190.0	206.4	16.4	0.28	0.27
C207-74	270	-60	185.0	130.0	140.0	10.0	0.88	1.42
<i>and</i>				155.0	177.5	22.5	0.32	0.24
C207-75	90	-60	157.6	78.6	147.5	68.9	0.37	0.95
<i>including</i>				80.0	92.5	12.5	0.58	2.72
C207-76	270	-60	203.3	17.6	50.0	32.4	0.24	0.27
<i>and</i>				75.0	85.0	10.0	0.38	0.44
<i>and</i>				110.0	119.9	9.9	0.25	0.38
<i>and</i>				192.5	202.5	10.0	0.27	0.20

: assay data released March 2007; March 2008

Mount Polley 2007 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND07-27			NSI						
ND07-28			NSI						
ND07-29			NSI						
ND07-30	240°	-50	335.3	92.5	126.7	34.2	0.37	0.70	2.00
ND07-31	150°	-70	361.8	25.0	50.0	25.0	0.25	0.71	2.38
ND07-32	277°	-60	249.0	NSI					-
ND07-33	0°	-90	226.2	80.0	97.5	17.5	0.31	0.34	-
ND07-34	150°	-70	627.0	NSI					-
ND07-35	150°	-70	306.9	197.5	201.7	4.2	0.25	0.55	3.04
ND07-36	150°	-70	450.2	353.1	372.5	19.4	0.47	0.06	4.00
ND07-37	0°	-90	325.2	257.5	270.0	12.5	0.68	0.20	2.84
ND07-38	0°	-90	228.9	75.0	85.0	10.0	0.31	0.22	2.30
ND07-39	0°	-90	253.6	100.0	110.0	10.0	0.40	0.18	3.17
				150.0	159.8	9.8	0.42	0.24	4.69
				180.0	200.0	20.0	0.49	0.16	4.82
ND07-40	0°	-90	246.9	NSI					-

: assay data released May & July 2007; March 2008

Mount Polley 2007 Drilling

Ace Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
AC07-01	210	-60	324.6	5.0	27.5	22.5	0.14	0.10	-
AC07-02	60	-60	279.2	NSI					-

: assay data released March 2008

Skid Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
SK07-01	60	-50	307.2	pending					-
SK07-02	60	-50	270.7	NSI					-
SK07-03	60	-50	261.5	NSI					-
SK07-04	240	-50	212.8	22.5	28.9	6.4	0.33	0.16	-
<i>and</i>				175.0	200.0	25.0	0.30	0.20	-
SK07-05	60	-50	273.7	175.0	255.0	80.0	0.18	0.50	-
<i>including</i>				175.0	200.0	25.0	0.30	1.04	-
<i>including</i>				226.0	255.0	29.0	0.18	0.35	-
SK07-06	60	-50	325.5	137.5	187.5	50.0	0.18	0.18	-
SK07-07	60	-50	328.6	NSI					-
SK07-08	240	-50	258.5	NSI					-

: assay data released March 2008 & July 2008

Mount Polley 2007 Drilling

Southeast Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	EqCu %
SE07-62	90	-70		NSI					
SE07-63	90	-70	175.3	8.2	102.5	94.3	0.22	0.42	0.66
SE07-64	90	-70	202.7	NSI					
SE07-65	90	-70	191.1	31.5	72.5	41.0	0.11	0.53	0.66
<i>including</i>				121.1	154.8	33.7	0.26	0.46	0.87
SE07-66	90	-70	118.0	15.0	62.5	47.5	0.29	0.66	1.91
SE07-67	90	-70		NSI					
SE07-68	90	-70		NSI					
SE07-69	90	-70	166.7	30.0	80.0	50.0	0.25	0.33	1.41
SE07-70	90	-70		NSI					
SE07-71	90	-70		NSI					
SE07-72	90	-70	166.7	NSI					
SE07-73				51.4	61.4	10.0	0.25	0.21	1.10
SE07-74	90	-70	114.9	NSI					
SE07-75	90	-70	228.9	NSI					
SE07-76	90	-70	166.7	NSI					

: assay data released May 2007