

Mount Polley 2008/2009 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND08-41	315	-65	154.5	39.9	120.0	80.1	0.49	0.54	-
<i>including</i>				90.0	120.0	30.0	0.67	0.81	-
ND08-42	315	-65	172.8	46.1	89.0	42.9	1.17	1.16	-
<i>including</i>				56.7	89.0	32.3	1.43	1.47	-
ND08-43	315	-70	197.3	104.5	137.0	32.5	0.29	0.15	-
ND08-44	135	-65	203.3	72.5	94.8	22.3	1.56	1.21	-
<i>and</i>				110.0	123.9	13.9	1.00	0.74	-
<i>and</i>				132.5	137.5	5.0	0.76	0.56	-
<i>and</i>				170.0	181.1	11.1	0.73	0.67	-
ND08-45	135	-65	160.6	100.0	124.5	24.5	1.33	1.05	-
ND08-46	32	-45	175.3	89.9	150.0	60.1	0.82	0.90	-
<i>including</i>				95.0	115.0	20.0	1.46	1.74	-
ND08-47	208	-45	250.0	97.0	111.8	14.8	1.25	1.55	-
<i>and</i>				172.1	221.6	49.5	0.65	0.54	-
ND08-48	0	-90	227.7	78.9	172.5	93.6	0.43	0.21	-
<i>including</i>				78.9	117.5	38.6	0.55	0.24	-
ND08-49	0	-90	194.2	110.6	168.6	58.0	0.95	0.73	-
<i>including</i>				110.6	129.2	18.5	1.95	1.41	-
<i>including</i>				138.7	147.5	8.8	1.16	1.05	-
ND08-50	0	-90	221.6	58.3	120.0	61.7	0.42	0.63	-
<i>including</i>				58.3	70.0	11.7	0.59	0.93	-
<i>and</i>				90.0	106.4	16.4	0.67	1.13	-
ND08-51	0	-90	212.5	3.1	12.5	9.5	1.47	2.60	-
<i>and</i>				41.6	106.1	64.5	1.41	1.55	-
ND08-52	0	-90	391.7	107.5	112.1	4.6	1.30	1.09	-
ND08-53	0	-90	197.2	105.5	146.8	41.3	0.96	0.57	-
ND08-54	0	-90	319.8	30.0	62.1	32.1	0.50	0.81	-
<i>and</i>				174.5	212.5	38.0	2.16	1.60	-
<i>including</i>				192.5	207.5	15.0	3.89	2.56	-
<i>and</i>				250.0	258.6	8.6	0.61	0.44	-
ND08-55	0	-90	435.0	245.9	291.2	46.3	0.49	0.55	-
<i>including</i>				270.2	290.0	19.8	0.83	1.05	-
<i>and</i>				342.5	350.0	7.5	0.71	0.30	-
<i>and</i>				390.0	407.5	17.5	0.48	0.18	-
ND08-56	0	-90	413.6	265.0	300.0	35.0	1.86	0.64	-
<i>including</i>				282.5	300.0	17.5	3.48	1.17	-
<i>including</i>				286.3	297.5	11.2	4.97	1.66	-
<i>including</i>				286.3	300.0	13.7	4.30	1.42	-

: assay data released July & October 2008

Mount Polley 2008/2009 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND08-57	0	-90	361.8	243.4	295.0	51.6	1.48	0.83	-
<i>including</i>				271.6	287.5	15.9	3.08	1.38	-
ND08-58	0	-90	352.7	NSI					-
ND08-59	0	-90	285.6	NSI					-
ND08-60	0	-90	328.3	240.2	260.0	19.8	2.12	1.08	-
ND08-61	0	-90	450.2	NSI					-
ND08-62	0	-90	570.6	336.4	357.5	21.2	0.26	0.23	1.05
<i>and</i>				447.5	470.0	22.5	0.52	0.11	2.56
ND08-63	0	-90	532.5	172.5	287.5	115.0	0.93	0.62	5.25
<i>including</i>				172.5	197.5	25.0	1.00	0.84	5.55
<i>including</i>				222.5	290.0	67.5	1.19	0.71	6.64
<i>including</i>				230.0	240.0	10.0	2.15	1.64	12.35
ND08-64	0	-90	324.6	219.5	276.8	57.3	2.11	1.25	13.14
<i>including</i>				236.0	263.0	27.0	3.29	1.88	17.89
ND08-65	0	-90	527.3	280.0	342.5	62.5	0.32	0.23	-
ND09-66	0	-90	623.9	276.8	290.0	13.3	2.40	2.47	16.76
<i>and</i>				322.4	357.5	35.1	2.25	1.36	8.53
<i>including</i>				342.5	355.0	12.5	3.72	2.02	15.96
ND09-67	0	-90	441.1	260.0	279.1	19.1	2.09	1.19	-
<i>including</i>				267.5	279.1	11.6	2.95	1.56	-
ND09-68	0	-90	343.5	132.8	137.5	4.7	1.67	1.01	-
<i>and</i>				157.2	175.0	17.8	0.41	0.33	-
<i>and</i>				217.5	243.0	25.5	1.33	0.77	-
<i>including</i>				231.3	242.5	11.2	2.36	1.30	-
<i>and</i>				255.9	267.5	11.6	0.90	0.42	-
ND09-69	0	-90	375.4	103.5	165.2	61.6	0.78	0.77	-
<i>including</i>				103.5	117.5	14.0	0.98	0.74	-
<i>including</i>				127.5	135.0	7.5	1.30	1.61	-
<i>including</i>				145.0	150.4	5.4	3.28	3.41	-
ND09-70	0	-90	346.0	22.5	30.0	7.5	0.85	1.16	-
<i>and</i>				195.0	200.0	5.0	2.34	1.76	-
<i>and</i>				242.5	260.9	18.4	1.82	1.40	-
<i>including</i>				255.0	260.9	5.9	3.73	2.78	-
ND09-71	0	-90	416.7	NSI					-
ND09-72	0	-90	311.5	132.5	171.3	38.8	0.88	0.63	-
<i>including</i>				135.0	140.4	5.4	1.43	0.91	-
<i>including</i>				144.6	149.9	5.3	2.09	1.63	-
ND09-73	0	-90	249.0	157.8	163.1	5.2	1.45	0.98	-
<i>and</i>				181.1	207.5	26.5	0.61	0.46	-
<i>including</i>				181.1	187.5	6.5	1.25	0.96	-

: assay data released March & April 2009

Mount Polley 2008/2009 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from to		Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND09-74	0	-90	504.4	295.4	302.8	7.4	1.24	0.39	-
<i>and</i>				454.4	504.4	50.1	0.31	0.18	-
<i>and</i>				490.0	504.4	14.4	0.55	0.37	-
ND09-75	0	-90	364.9	<i>incomplete</i>					
ND09-76	0	-90	419.7	289.1	310.0	20.9	0.73	0.57	4.48
<i>including</i>				301.5	309.4	7.9	1.25	1.10	7.46
ND09-77	0	-90	535.5	NSI					
ND09-78	0	-90	492.9	NSI					
ND09-79	0	-90	395.3	158.1	315.1	157.0	1.73	1.11	10.53
<i>including</i>				165.7	183.6	17.9	1.48	1.55	7.67
<i>and</i>				222.5	235.2	12.7	2.27	2.52	9.44
<i>and</i>				256.6	315.1	58.6	3.24	1.49	19.55
<i>including</i>				285.3	299.7	14.4	5.08	2.68	36.10
ND09-80	0	-90	367.9	175.0	187.5	12.5	1.51	1.11	11.33
<i>and</i>				220.5	248.5	28.0	1.28	1.24	6.10
<i>and</i>				316.8	322.5	5.8	2.07	0.88	-
ND09-81	0	-90	377.0	332.5	340.0	7.5	0.24	0.18	-
ND09-82	0	-90	402.2	40.5	92.5	52.0	1.30	1.64	7.49
<i>including</i>				60.0	91.0	31.0	1.50	2.02	8.86
<i>and</i>				195.0	202.3	7.3	2.35	2.95	15.30
ND09-83	0	-90	340.5	50.0	58.1	8.1	1.84	0.72	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

Boundary Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
ND09-84	0	-90	306.9	82.5	127.5	45.0	0.66	0.82	-
<i>and</i>				90.0	108.7	18.7	0.86	1.31	-
ND09-85	0	-90	367.9	162.5	182.5	20.0	0.83	0.68	-
ND09-86	0	-90	452.2	215.0	289.3	74.3	0.45	0.08	-
<i>and</i>				302.4	314.3	11.9	1.04	0.19	-
<i>and</i>				345.0	359.1	14.1	0.41	0.13	-
ND09-87	0	-90	356.6	52.5	67.5	15.0	0.24	0.20	-
<i>and</i>				97.5	105.0	7.5	0.62	0.77	-
<i>and</i>				116.4	144.7	28.3	0.68	0.51	-
ND09-88	248	-4	326.4	131.5	140.0	8.5	1.10	0.22	-
ND09-89	0	-90	465.4	355.0	365.4	10.4	0.46	0.10	-
ND09-90	0	-90	400.8	3.7	25.0	21.3	0.35	0.07	-
<i>and</i>				145.3	167.7	22.3	0.51	0.31	-
<i>and</i>				255.0	262.5	7.5	0.55	0.17	-
<i>and</i>				287.5	307.5	20.0	0.48	0.08	-
<i>and</i>	0	-90	439.2	322.5	332.5	10.0	0.53	0.33	-
ND09-92	290	-75	350.5	177.4	186.3	8.9	1.50	0.90	-
<i>and</i>				260.2	297.5	37.3	2.08	1.13	-
<i>including</i>				275.0	287.6	12.6	4.90	2.55	-
ND09-93	110	-81	366.7	3.1	7.5	4.5	0.92	0.35	-
<i>and</i>				35.0	42.5	7.5	0.82	0.67	-
<i>and</i>				52.5	82.5	30.0	1.21	1.42	-
<i>including</i>				72.5	82.5	10.0	1.45	2.39	-
<i>and</i>				220.0	271.5	51.5	1.75	1.07	-
<i>and</i>				305.0	315.0	10.0	1.29	0.66	-
ND09-94	265	-43	242.8	13.7	37.5	23.8	0.44	0.28	3.15
<i>and</i>				68.7	89.3	20.6	1.35	0.52	11.77
ND09-95	260	-45	172.8	40.9	46.6	5.7	0.33	0.13	2.30
ND09-96	258	-45	188.1	15.0	22.5	7.5	0.54	0.17	4.40
ND09-97	0	-90	172.8	NSI					-
ND09-98	0	-90	413.6	37.5	42.9	5.4	1.23	0.39	10.04
ND09-99	250	-45	258.2	NSI					-
ND09-100	0	-90	367.9	NSI					-
WB09-254	258	-9	640.7	186.3	199.8	13.6	0.64	0.09	-
<i>and</i>				402.5	418.2	15.7	1.26	0.78	-
<i>and</i>				473.4	490.0	16.6	2.29	1.58	-
<i>including</i>				474.8	485.2	10.4	3.31	2.32	-

: assay data released January 2010

Mount Polley 2008/2009 Drilling

Junction Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	to	Interval Length (m)	Copper %	Gold g/t
JZ09-03	270	-60	207.2	62.5	70.0	7.5	0.35	0.33
JZ09-04	270	-60	255.1	18.9	100.0	81.1	0.32	0.17
<i>including</i>				18.9	30.0	11.1	0.71	0.46
JZ09-05	270	-60	252.1	NSI				
JZ09-06	270	-60	288.7	NSI				
JZ09-07	270	-90	303.9	NSI				
JZ09-08	270	-60	300.8	12.2	45.0	32.8	0.43	0.08
<i>and</i>				217.1	233.9	16.8	0.43	0.09
JZ09-09	270	-60	209.9	NSI				
JZ09-10	270	-60	285.6	NSI				
JZ09-11	270	-60	511.2	35.0	90.0	55.0	0.45	0.57
<i>including</i>				50.0	65.0	15.0	0.78	1.15
<i>and</i>				269.7	437.5	167.8	0.38	0.24
<i>including</i>				382.5	404.6	22.1	0.78	0.57
JZ09-12	270	-60	508.1	38.4	197.5	159.1	0.29	0.33
<i>including</i>				38.4	142.5	104.1	0.33	0.44
JZ09-13	270	-60	325.2	NSI				
JZ09-14	270	-60	291.7	193.7	202.5	8.8	0.30	0.20
JZ09-15	270	-60	282.6	NSI				
JZ09-16	270	-60	188.1	NSI				
JZ09-17	270	-60	291.7	200.0	225.0	25.0	0.21	0.18
JZ09-18	270	-60	273.8	NSI				
JZ09-19	270	-60	313.0	NSI				
JZ09-20	270	-60	285.6	NSI				
JZ09-21	270	-60	310.0	NSI				
JZ09-22	270	-60	276.5	NSI				
JZ09-23	90	-60	776.3	72.5	577.5	505.0	0.23	0.19
<i>including</i>				72.5	97.5	25.0	0.30	0.29
<i>including</i>				120.0	132.5	12.5	0.38	0.26
<i>including</i>				160.0	175.0	15.0	0.90	0.24
<i>including</i>				230.7	340.0	109.3	0.40	0.20
<i>including</i>				280.0	310.0	30.0	0.61	0.31
<i>including</i>				412.5	427.5	15.0	0.29	0.33
<i>including</i>				467.5	492.5	25.0	0.26	0.25
<i>including</i>				540.0	577.5	37.5	0.14	0.76
JZ09-24	88	-61	389.3	NSI				
JZ09-25	270	-60	328.2	12.2	40.0	27.8	0.56	0.21
JZ09-26	270	-60	276.5	NSI				
JZ09-27	270	-60	441.1	NSI				
JZ09-28	270	-60	252.1	NSI				

: assay data released January 2010

Mount Polley 2008/2009 Drilling

Junction Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t
JZ09-29	270	-60	331.3	NSI				
JZ09-30	270	-60	313.0	NSI				
JZ09-31	270	-60	157.6	65.0	77.5	12.5	0.38	0.11
JZ09-32	90	-60	346.6	250.0	285.5	35.5	0.41	0.29
JZ09-33	90	-57	355.7	21.3	37.5	16.2	0.54	1.25
and				122.5	145.0	22.5	0.26	0.43
and				210.0	285.0	75.0	0.29	0.72
JZ09-34	90	-60	346.6	NSI				
JZ09-35	94	-60	313.3	NSI				
JZ09-36	90	-60	398.4	322.5	355.0	32.5	0.22	0.27
JZ09-37	90	-60	325.2	370.0	380.0	10.0	0.16	0.33
JZ09-38	90	-50	319.1	20.4	46.2	25.8	0.35	0.11
and				159.6	271.2	111.6	0.24	0.22
JZ09-39	90	-60	337.4	150.0	241.7	91.7	0.19	0.21
and				302.5	337.4	34.9	0.17	0.16
JZ09-40	90	-60	352.7	185.0	307.5	122.5	0.43	0.20
JZ09-41	90	-60	334.4	42.5	147.5	105.0	0.20	0.22
and				325.0	334.4	9.4	0.58	0.39

: assay data released January 2010

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t
JZ09-42	90	-60	318.7	202.5	249.0	46.5	0.16	0.13
JZ09-43	90	-60	319.1	77.5	87.5	10.0	0.26	0.15
and				115.0	135.0	20.0	0.24	0.16
and				165.0	220.0	55.0	0.20	0.17
and				267.5	319.1	51.6	0.27	0.19
JZ09-44	90	-60	294.7	30.0	42.5	12.5	0.34	0.18
and				77.5	140.3	62.8	0.33	0.27
and				159.0	210.0	51.0	0.22	0.20

: assay data released May 2010

Mount Polley 2008/2009 Drilling

Pond Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
PZ08-17	90	-60	154.5	NSI					
PZ08-18	270	-50	185.0	75.0	92.5	17.5	0.85	0.51	16.61
PZ08-19	0	-90	178.9	35.0	72.5	37.5	0.34	0.13	4.42
PZ08-20	0	-90	179.8	6.1	77.5	71.4	0.94	0.27	12.46
<i>including</i>				67.5	77.5	10.0	3.52	1.02	49.08
<i>and</i>				125.9	141.2	15.3	0.03	1.08	1.40
PZ08-21	0	-90	182.0	17.5	115.6	98.1	0.38	0.19	4.67
<i>including</i>				107.5	115.6	8.1	1.33	0.50	22.80
<i>and</i>				128.5	135.0	6.5	2.44	0.64	35.14
PZ08-22	270	-70	281.9	265.0	273.1	8.1	6.07	1.26	67.32
<i>including</i>				255.0	273.1	18.1	3.68	1.01	40.20
<i>including</i>				197.5	273.1	75.6	1.16	0.42	11.70

: assay data released October 2008

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
PZ08-23	90	-50	151.5	NSI					
PZ08-24	90	-60	223.1	NSI					
PZ08-25	270	-50	157.6	NSI					
PZ08-26	270	-60	157.6	NSI					
PZ08-27	90	-60	154.5	NSI					
PZ08-28	270	-70	297.8	240.0	271.3	31.3	1.97	0.22	
<i>including</i>				261.6	271.3	9.7	5.57	0.36	
<i>including</i>				261.6	267.5	5.9	7.38	0.41	
PZ08-29	0	-90	444.5	205.0	232.5	27.5	0.35	0.24	
<i>and</i>				272.5	287.5	15.0	0.87	0.23	
PZ08-30	0	-90	302.4	192.6	201.9	9.3	0.39	0.21	
PZ08-31	0	-90	313.9	132.8	192.5	59.7	0.24	0.23	
<i>including</i>				132.8	140.0	7.2	0.69	0.42	
PZ08-32	0	-90	246.0	110.8	167.5	56.7	0.49	0.18	
<i>including</i>				125.0	136.0	11.0	1.30	0.32	
PZ08-33	270	-77	411.8	NSI					
PZ08-34	88	-60	514.2	295.0	322.5	27.5	0.31	0.11	

: assay data released March 2009

Mount Polley 2008/2009 Drilling

Pond Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t	Silver ppm
PZ09-35	350	-45	218.9	64.2	135.4	71.3	0.57	0.22	6.81
<i>including</i>				131.0	135.4	4.4	4.20	1.03	52.31
<i>and</i>				186.1	193.8	7.7	0.03	1.00	1.42
PZ09-36	170	-50	227.7	42.5	154.0	111.5	0.57	0.43	7.84
<i>including</i>				132.5	140.0	7.5	0.68	2.46	10.43
PZ09-37	270	-50	114.9	56.1	60.0	3.9	0.39	0.19	4.82
PZ09-38	270	-50	126.2	40.0	72.5	32.5	0.54	0.28	11.34
<i>including</i>				42.5	51.5	9.0	1.11	0.48	15.65
PZ09-39			<i>incomplete</i>						
PZ09-40			<i>incomplete</i>						
PZ09-41			<i>incomplete</i>						
PZ09-42			<i>incomplete</i>						
PZ09-43	320	-72	248.7	140.0	185.0	45.0	2.03	0.42	20.66
<i>including</i>				173.1	182.4	9.3	6.40	0.89	67.68

: assay data released August 2009

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t	Silver ppm
PZ09-44	62	-45	453.2	120.0	132.5	12.5	0.35	0.17	-
<i>and</i>				157.5	217.5	60.0	0.50	0.30	-
<i>including</i>				212.5	217.5	5.0	2.79	0.53	-
PZ09-45	296	-48	263.9	177.5	212.5	35.0	1.12	0.51	-
<i>including</i>				200.0	206.0	6.0	2.04	0.57	-
PZ09-46	295	-60	222.2	160.4	172.5	12.1	1.17	0.83	-
<i>and</i>				200.3	220.0	19.8	1.31	0.58	-
PZ09-47	110	-45	361.4	245.0	252.5	7.5	0.79	0.97	-
PZ09-48	108	-49	364.9	187.5	221.8	34.3	0.86	0.31	-
<i>including</i>				207.5	211.4	3.9	2.81	0.83	-
PZ09-49	80	-48	290.4	194.4	255.0	60.6	0.85	0.58	11.73
<i>including</i>				206.35	217.9	11.6	2.49	0.74	36.98
PZ09-50	247	-35	353.9	245.0	292.5	47.5	0.29	0.25	2.43
PZ09-51	91	-49	292.6	203.3	267.5	64.2	0.85	0.66	12.70
				203.3	224.8	21.5	1.36	1.41	18.79

: assay data released January 2010

Mount Polley 2008/2009 Drilling

Springer Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval		Interval Length	Copper %	Gold g/t	Silver ppm
				from	to				
SD08-69	270	-60	611.7	215.0	365.0	150.0	0.23	0.24	-
<i>including</i>				262.5	305.0	42.5	0.27	0.39	-
SD08-70	0	-90	379.8	9.1	367.5	358.4	0.40	0.31	-
<i>including</i>				105.0	302.5	197.5	0.51	0.41	-
<i>including</i>				105.0	137.5	32.5	0.81	0.77	-
SD08-71	0	-90	413.6	45.7	413.6	367.9	0.45	0.27	-
<i>including</i>				45.7	232.5	186.8	0.55	0.32	-
SD08-72	0	-90	380.4	9.1	380.1	371.0	0.51	0.26	-
<i>including</i>				205.0	355.0	150.0	0.64	0.34	-
SD08-73	0	-90	422.8	3.7	422.8	419.1	0.28	0.21	-
<i>including</i>				3.7	55.0	51.3	0.27	0.16	-
<i>including</i>				188.7	237.5	48.8	0.22	0.37	-
<i>including</i>				300.0	422.8	122.8	0.49	0.34	-
SD08-74	0	-90	474.6	4.3	270.4	266.1	0.34	0.17	-
<i>and</i>				420.0	474.6	54.6	0.47	0.53	-
SD08-75	270	-60	599.5	336.8	347.5	10.7	0.32	0.95	-
<i>and</i>				401.7	440.0	38.3	0.21	0.22	-
SD08-76	0	-90	352.7	6.1	17.5	11.4	0.62	0.58	-
<i>and</i>				55.0	167.5	112.5	0.30	0.23	-
<i>and</i>				297.5	320.0	22.5	0.36	0.16	-
SD08-77	90	-60	489.8	302.5	367.5	65.0	0.31	0.12	-
<i>and</i>				407.5	417.5	10.0	0.49	0.13	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

Springer Zone

Drill Hole #	Azimuth (°)	Dip (°)	Total Length (m)	Metre Interval from	Interval to	Interval Length (m)	Copper %	Gold g/t	Silver ppm
SD09-78	270	-60	279.5	NSI					-
SD09-79	270	-60	252.1	NSI					-
SD09-80	70	-8	842.5	544.7	824.9	280.2	0.36	0.34	-
<i>including</i>				702.5	807.5	105.0	0.47	0.59	-
<i>including</i>				777.5	789.6	12.1	0.87	1.65	-
SD09-81	0	-90	1099.4	3.1	192.5	189.5	0.57	0.33	-
<i>and</i>				236.7	757.5	520.8	0.36	0.37	-
<i>including</i>				327.5	362.5	35.0	0.94	0.89	-
SD09-82	90	-45	394.4	45.0	77.7	32.7	0.31	0.25	-
<i>and</i>				103.1	318.6	215.6	0.25	0.33	-
SD09-83	90	-60	435.0	97.5	170.0	72.5	0.25	0.46	-
<i>and</i>				237.9	420.0	182.1	0.21	0.29	-
SD09-84	90	-60	382.2	152.5	167.5	15.0	0.34	0.53	-
<i>and</i>				222.1	267.5	45.4	0.29	0.31	-
<i>and</i>				285.0	317.5	32.5	0.26	0.22	-
<i>and</i>				362.5	377.5	15.0	0.22	0.34	-
SD09-85	0	-90	157.6	3.1	61.6	58.6	0.33	0.19	-
SD09-86	90	-60	349.6	215.0	312.5	97.5	0.29	0.23	-
SD09-87	50	-10	342.0	297.5	317.5	20.0	0.27	0.90	-
SD09-88	90	-60	377.3	145.0	322.5	177.5	0.30	0.23	-
SD09-89	90	-60	430.1	112.5	210.0	97.5	0.40	0.34	-
<i>and</i>				280.0	312.5	32.5	0.49	0.35	-
SD09-90	90	-60	105.8	NSI					-
SD09-91	0	-90	285.1	NSI					-
SD09-92	100	-60	454.2	99.7	255.1	155.5	0.25	0.31	0.36
<i>and</i>				302.5	342.5	40.0	0.29	0.30	0.92
<i>and</i>				415.4	454.2	38.8	0.26	0.33	0.67
SD09-93	90	-55	328.3	215.5	243.2	27.7	0.50	2.65	-
<i>including</i>				222.5	237.5	15.0	0.65	3.86	-
<i>and</i>				322.5	328.3	5.8	0.19	0.95	-
SD09-94	90	-60	323.1	80.0	165.0	85.0	0.18	0.25	-
<i>including</i>				80.0	105.0	25.0	0.22	0.46	-
SD09-95	90	-56	392.3	132.3	152.5	20.2	0.32	0.18	-
SD09-96	90	-60	349.6	300.0	351.0	51.0	0.21	0.23	-
SD09-97	90	-55	380.1	155.0	227.5	72.5	0.22	0.31	-
<i>and</i>				270.0	380.1	110.1	0.21	0.28	-

: assay data released January 2010

Mount Polley 2008/2009 Drilling

Southeast Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t
SE09-77	270	-60	178.8	27.8		72.5	44.7	0.20
<i>and</i>				95.0		120.0	25.0	0.64
<i>and</i>				144.0		172.5	28.5	0.18
SE09-78	270	-60	169.8	55.0		65.0	10.0	0.28
<i>and</i>				124.3		140.0	15.7	0.59
SE09-79	270	-60	200.3	75.0		85.0	10.0	0.15
<i>and</i>				130.0		194.2	64.2	0.24
SE09-80	90	-70	219.9	17.5		36.2	18.7	0.29
SE09-81	90	-70	227.7	22.7		59.1	36.4	0.24

: assay data released January 2010

Mount Polley 2008/2009 Drilling

C2 Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t	Silver ppm
C209-77	270	-60	105.8	50.2	79.1	28.9	0.48	0.66	-
<i>including</i>				55.0	75.0	20.0	0.53	0.75	-
C209-78	270	-60	50.9	NSI					-
C209-79	0	-90	182.6	30.5	67.0	36.5	0.20	0.19	-
C209-80	270	-55	127.1	17.5	36.8	19.3	1.85	2.15	-
<i>including</i>				18.3	25.0	6.7	3.77	4.33	-
C209-81	270	-55	259.7	4.9	48.6	43.7	0.17	0.23	-
<i>and</i>				160.0	175.0	15.0	0.22	0.38	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

WX Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	Interval to	Interval Length	Copper %	Gold g/t	Silver ppm
WX09-01	0	-90	370.9	115.0	160.0	45.0	0.31	0.29	-
<i>and</i>				187.5	240.0	52.5	0.19	0.28	-
WX09-02	0	-90	242.9	117.1	207.5	90.4	0.36	0.96	-
<i>including</i>				200.0	205.0	5.0	0.66	2.96	-

: assay data released August 2009

Mount Polley 2008/2009 Drilling

Northeast Zone

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t	Silver ppm
WB08-246	0	-90	185.0	3.7	42.0	38.3	3.65	1.19	37.70
<i>including</i>				15.0	42.0	27.0	3.57	1.11	33.70
<i>and</i>				92.5	130.0	37.5	0.61	0.39	3.09
WB08-247	90	-75	185.0	3.1	47.5	44.4	2.52	0.73	28.22
<i>including</i>				12.5	47.5	35.0	2.38	0.70	27.84
<i>and</i>				70.0	137.5	67.5	0.93	0.10	1.49
<i>including</i>				75.0	87.5	12.5	1.17	0.15	1.52
<i>including</i>				100.0	132.5	32.5	1.17	0.11	1.88
WB08-248	90	-45	181.4	6.1	25.0	18.9	2.63	0.39	19.25
<i>including</i>				7.5	25.0	17.5	2.65	34.00	18.69
<i>and</i>				27.5	62.5	35.0	0.53	0.03	1.63
WB08-249	260	-75	215.5	12.5	55.0	42.5	1.50	0.21	11.50
<i>including</i>				12.5	37.5	25.0	2.25	0.32	19.03
<i>and</i>				75.0	122.4	47.4	0.67	0.18	2.13
WB08-250	0	-90	285.6	28.9	86.2	57.3	0.55	0.15	0.98
<i>including</i>				28.9	35.0	6.1	1.30	0.16	4.16
<i>including</i>				72.5	85.5	13.0	4.04	0.29	35.04
WB08-251	120	-55	166.7	7.5	27.5	20.0	4.04	0.29	35.04
<i>including</i>				12.5	27.5	15.0	3.24	0.25	29.13
<i>and</i>				75.0	140.0	65.0	0.57	0.05	1.40
<i>including</i>				87.5	102.5	15.0	1.19	0.12	2.70

: assay data released October 2008

Drill Hole #	Azimuth (°)	Dip (°)	Length (m)	Metre Interval from	to	Interval Length	Copper %	Gold g/t	Silver ppm
WB08-252	288	-52	392.3	321.2	342.1	20.9	0.77	0.13	3.85
<i>including</i>				329.4	332.9	3.5	2.06	0.23	9.42
WB08-253	240	-70	556.9	357.5	385.0	27.5	0.49	0.21	
<i>and</i>				407.5	419.1	11.6	0.81	0.15	
<i>including</i>				440.1	457.5	17.4	0.30	0.36	

: assay data released March 2009